1930/31



RUDOLF SCHMIDT

WHOLE SALE NURSERIES

RELLINGEN-HOLSTEIN

GERMANY

Fürstämme = fürst standerds

European Nursery Catalogues

A virtual collection project by:
Deutsche Gartenbaubibliothek e.V.
Paper version of this catalogue hold by:
Deutsches Baumschulmuseum e.V.
Digital version sponsored by:
C. A. Wimmer

COMMERCIAL USE FORBIDDEN
Attribution-NonCommercial 4.0 International
(CC BY-NC 4.0)

Rudolf Schmidt

Wholesale Nurseries / Stock Grower

Established 1904 / Area about 150 acres

Rellingen/Holstein

Germany

Main Catalogue

Autumn 1930 / Spring 1931

Stations: Pinneberg and Halstenbek
Phones: Pinneberg 58 and 808
Bankers: Westholsteinische Bank, Pinneberg,
Skandinaviska Creditaktiebolaget, Malmö, Sweden
Barkley's Bank Ltd., London
Post Account: Hamburg 8229

C. D. C. Heydorns Buchdruckerei
Carl & Hermann Heydorn, Uetersen

Terms and Conditions.

These Terms and Conditions are legal binding between customer and me.

All prices are strictely nett and delivery F.O.B. Hamburg incl. best packing if the account is £ 5 and more, otherwise at lowest cost price.

All accounts are due 3 months after date of invoice without any discount.

5 per cent discount will be allowed if prepaid, 3 per cent if paid within a month.

Legal action will be decided in the Court competent to Rellingen.

All offers are subject to being unsold.

All shipments are sent at buyer's risk but will be insured of me and charged for if not otherwise stated. All shipments must have a permit of the Ministery of Agriculture and are chargedfor.

All complaints must be made within 5 days on receipt of goods, otherwise they cannot be entertained.

This Catalogue cancels all precious issues.

If a variety is sold out a similar one will be given if not otherwise stated.

All measurements are approximately and small differents cannot be avoided.

All prices mentioned in this Catalogue are subject to fluctuation.

Rellingen, Autumn 1930

To My Valued Clients.

I beg to send you herewith my New Main Catalogue for the season 1930/31, giving details of my present Nursery Stock.

Last year concluded a quarter of a century's successful development of the business, and during this time my nurseries have been considerably developed and extended. The area of the nurseries amounts to day to approximately 150 acres. Owing to the care given to the plants a first class product is optained, and to this circumstance, combined with the careful attention which each individual order receives is undoubtely due the large number of my faithful customers of long years standing, and the constantly increasing circle of business friends.

I beg to take this opportunity of thanking my clients for their past favours and trust that these will continue. It is my earnest endeavour to attend to every individual customer to his complete satisfaction.

For several years past my nurseries have been under the care of an Agricultural Chemist and thus a partial or excessive manuring is avoided, resulting in a healthy growth of the plants.

If you should have no use for this catalogue yourself, it would be esteemed a favour if you would pass it on to business friends, who might be interested. Further copies can be optained at any time upon application.

Trusting our former pleasant business relations will continue this year,

I beg to remain,

Yours faithfully,

RUDOLF SCHMIDT

Fruit-Trees

	each sh	per 10 sh	per 100 sh
Apples			
Standards	3/9	35/—	320/—
Half-Standards	2/2	20/—	180/—
Pyramids with 2 series	4/—	36/—	330/—
" " 1 "	2/2	20/—	180/—
Espaliers with 3 tiers	4/9	44/—	400/—
" " 2 "	3/6	33/—	300/—
" " 1 tier	2/2	20/—	180/—
Bushes 3—4 years	2/6	23/—	210/—
" 2—3 "	1/9	17/—	150/—
U-Forms with 2 tiers, 3—4 years	4/—	36/—	330/—
" " 2 " 2—3 "	3/4	30/—	270/—
Cordons, vertical, 3—4 years	2/2	20/—	180/—
" " 2—3 "	1/9	17/—	150/—
" horizontal, 2 tiers, 3—4 years	3/3	30/—	270/—
" " 2 " 2—3 "	2/6	23/—	210/—
" " 1 tier 3—4 "	2/6	23/—	210/—
" " 1 " 2—3 "	2/2	20/—	180/—
Pears			
Standards	3/3	30/—	270/—
Half-Standards	2/6	23/—	210/—
Pyramids with 2 series	5/—	46/—	420/—
" " 1 "	2/10	26/—	240/—
Espaliers with 3 tiers	4/9	45/—	430/—
" " 2 "	4/3	40/—	380/—
" " 1 tier	2/10	26/—	240/—
Bushes, 3—4 years	3/3	30/—	270/—
" 2—3 "	2/6	23/—	210/—
U-Forms with 2 tiers, 3—4 years	4/4	40/—	360/—
" " 2 " , 2—4 "	3/8	33/—	300/—
Cordons, vertical, 3—4 years	3/3	30/—	270/—
" " 2—3 "	2/6	23/—	210/—
" horizontal, 2 tiers, 3—4 years	3/8	33/—	300/—
" " 2 " 2—3 "	2/10	26/—	240/—
" " 1 tier 3—4 "	2/10	26/—	240/—
" " 1 " 2—3 "	2/6	23/—	210/—
Plums and Prunes			
Standards	3/3	30/—	270/—
Half-Standards	2/—	19/—	180/—
Bushes, 3—4 years	2/—	19/—	180/—
" 2—3 years	1/10	16/—	150/—
Cherries			
Standards	4/—	38/—	350/—
Half-Standards	3/—	28/—	250/—
Bushes, 2—3 years	3/—	28/—	250/—
Morellas			
Standards	4/—	38/—	350/—
Half-Standards	3/—	28/—	250/—
Bushes, 3—4 years	2/6	23/—	200/—
" 2—3 "	2/—	18/—	150/—
" 1 year	1/6	13/—	100/—
Fan trained, 2 years	3/—	28/—	250/—
" 1 year	2/8	25/—	220/—

FRUIT-TREES

	each sh	per 10 sh	per 100 sh
Walnuts			
Standards	4/10	45/—	430/—
Quinces			
Standards	3/8	33/—	300/—
Half-Standards	2/9	26/—	240/—
Bushes, 2—3 years	2/3	20/—	180/—
Peaches			
Bushes	2/9	26/—	240/—
Fan trained, 2 years	5/6	53/—	500/—
„ 1 year	3/6	33/—	300/—
Apricots			
Bushes	2/2	20/—	180/—
Fan trained, 2 years	5/—	46/—	400/—
„ 1 year	3/6	33/—	280/—
Gooseberries			
Standards, with stout crowns	2/—	17/—	150/—
Bushes, best sorts with 8—12 shoots	7 d	6/6	60/—
„ „ „ „ 5—8 „	5 d	4/6	43/—
„ „ „ „ 3—5 „	4 d	3/6	30/—
Gooseberry Green Hansa, good novelty with 8—12 shoots	2/—	18/—	150/—
„ 5—8 „	1/9	16/—	140/—
„ 3—5 „	1/6	13/—	100/—
For large quantities prices on application.			
Currants			
Standards, with stout crowns	2/—	17/—	150/—
Currant „Red Dutch"			
Bushes with 8—12 shoots	4 d	3/6	30/—
„ „ 5—8 „	3 d	2/6	22/—
„ „ 3—5 „	2 d	1/9	15/—
For other sorts prices on application.			
White Currants, good bushes	6 d	4/6	40/—
Black Currants,			
Bushes with 8—12 shoots	4 d	3/6	30/—
„ „ 5—8 „	3 d	2/6	22/—
„ „ 3—5 „	2 d	1/9	15/—
For other sorts and large quantities prices on application.			
Raspberries			
In best sorts:	3 d	1/9	15/—
Lloyd George	4 d	3/6	30/—
Preussen	5 d	4/—	35/—
Superlativ	3 d	1/9	18/—
Marlborough	3 d	1/9	18/—
Blackberries, best transplanted sorts	5 d	4/6	40/—
Vine Grapes, best sorts	1/6	14/—	120/—
Hazels, best sorts	8 d	7/—	60/—
List of Varieties of Fruit-Trees on application			

Roses

Annual growth several hundred thousand. The following selection includes only old and new varieties, which have been thoroughly tested. The conditions for growing roses are the very best (hard climate and sandy loam) and these conditions guaranteeing a very good qualitaty. I have been known for good Grading for years and the greatest care is taken in Packing.

Prices for Roses

On all Roses deliveries before 31st. December 10 % discount

I. Dwarf Roses

a) in good varieties my choice

	each sh	per 10 sh	per 100 sh	per 1000 sh	per 10000 sh
I. size	4 d	2/9	25/—	240/—	2250/—
II. size	2 d	1/5	12/6	120/—	1125/—

b) varieties in buyer's choice

	I. size			II. size		
Group	each sh	per 10 sh	per 100 sh	each sh	per 10 sh	per 100 sh
1	4 d	2/9	25/—	2 d	1/6	12/6
2	5 d	3/6	30/—	3 d	1/9	15/—
3	6 d	4/6	40/—	4 d	2/6	20/—
4	6 d	4/—	35/—	4 d	2/—	17/—
5	8 d	5/—	45/—	4 d	3/—	23/—
5a	8 d	5/—	45/—	4 d	3/—	23/—

Polyantha Roses on Rugosa available varieties with †
I. size per 100 sh 50/— II. size per 100 sh 25/—

II. Standards

	I. size			II. size		
	each sh	per 10 sh	per 100 sh	each sh	per 10 sh	per 100 sh
Wheeping Standards 5½/6½ ft						
On Seedling Stems	4/—	39/—	380/—	2/—	19/6	190/—
On Briar „	3/7	35/—	340/—	1/9	17/6	170/—
On Rugosa „	3/—	29/—	285/—	1/6	14/6	140/—
Standards 4/4¾ ft						
On Seedling Stems	2/9	27/—	250/—	1/5	13/—	125/—
On Briar „	2/6	24/—	230/—	1/3	12/—	115/—
On Rugosa „	2/4	21/—	200/—	1/3	11/—	100/—
Standards 3¼/4 ft						
On Seedling Stems	2/4	22/—	210/—	1/3	11/—	105/—
On Briar „	2/2	20/—	190/—	1/—	10/—	95/—
On Rugosa „	1/9	18/—	160/—	10 d	8/6	80/—
Half Standards 2½/3½ ft						
On Seedling Stems	1/9	18/—	160/—	10 d	8/6	80/—
On Briar „	1/7	15/—	140/—	9 d	7/6	70/—
Half Standards 2/2½ ft						
On Seedling Stems	1/4	12/—	110/—	7 d	6/—	55/—
On Briar „	1/2	11/—	100/—	6 d	5/6	50/—
Polyantha						
On Seedling Stems 10—20 ins	10 d	9/—	75/—	5 d	4/—	35/—

Available Varities.

Abbreviation before Price-Group Number.

C. = Climber, P. = Polyantha, R. = Remontant, Rug. = Rugosa, M. = Moss Rose, T. = Tea Rose, HT. = Hybrid Tea Rose, L. = Lutea Rose (Pernetiana), G. = Garden Rose, B. = Bourbon Rose

Species	Pricegroup	
		Tea-, Hybrid Tea-, Remontant- and Lutea-Roses.
HT	2	**Angnes Glover,** bright crimson
L	2	**Angéle Pernet,** vivid orange yellow with apricot
HT	1	**Annie Laurie,** Sport of Ophelia, yellow rose, bigger flowers than Ophelia
HT	1	**Arabella,** carmine rose
HT	1	**Arthur Coock,** deep velvety crimson
HT	2	**Aspirant Marcel Rouyer,** deep apricot
HT	3	**August Noack,** Sport of Columbia but a big improvement of the colour
HT	1	**Betty Uprichard,** salmon-carmine
HT	3	**Briarcliff,** better Columbia, bright rose
HT	2	**Capt. F. S. Harvey Cant,** salmon-pink
R	1	**Captain Hayward,** bright crimson
HT	3	**Charles P. Kilham,** brilliant orange-red
L	3	**Cherry,** the blooms have a fine colour of bright carmine and dark veined, virgorous growth.
HT	2	**Columbia,** pink
HT	1	**Covent Garden,** deep crimson
L	2	**Cuba,** kardinal red, yellow shaded
HT	3	**Dame Edith Helen,** pure glowing pink
R	1	**Duchess of Sutherland,** rose
HT	1	**Earl Haig,** bright carmine red
HT	3	**Edith Nelly Perkins,** orange yellow, insides salmon rose
HT	1	**Elizabeth Cullen,** dark scarlet crimson
HT	1	**Elsie Beckwith,** deep rosy pink
HT	2	**Empire Queen,** brillant cherry-red, occasionally orange
HT	2	**Etoile de Hollande,** bright dark-red
R	1	**Eugen Fürst,** dark crimson
R	1	**Fisher et Holmes,** bright scarlet red
HT	3	**Florex,** sensational introduction, flowers of exellent form, coral-rose with orange-carmine.
HT	3	**Fontanelle,** splendid novelty, golden yellow
R	1	**Frau Karl Druschki,** snowy white, large flower
HT	1	**Freiburg II,** peach-rose
L	3	**Gaiety,** the blooms have an excellent colour of brownish carmine. Insides of the petals yellow. The growth is vigorous.
HT	1	**General Mac Arthur,** bright scarlet red
HT	1	**General Superior Arnold Janssen,** carmine-orange-red
HT	1	**Gloire de Hollande,** dark-red with blackish shade
L	2	**Golden Emblem,** lemon-yellow
HT	2	**Golden Ophelia,** golden-yellow
HT	3	**Gruss an Coburg,** novelty, flower big, full, outside of petals coppery orange yellow, veined with reddish violet, excellent smell.
HT	2	**Gruss an Teplitz,** brilliant scinnaber-scarlet

Species	Pricegroup	
HT	1	**Hadley-Rose,** dark blood red
HT	3	**H. C. Valeton,** golden yellow
HT	3	**Heinrich Eggers,** is a crossing of Mrs. Charles Russel and Wemyss Quin. Big buds of fine form, filled and good smelling.
R	1	**Heinrich Münch,** soft rose
HT		**Hermann Lindecke,** Novelty, Sport of General Sup. A. Janssen. Blooms are very big and of excellent Form, inside of the petals light carmine, outsides salmon pink. per 100 60 sh.
HT	1	**Hermann Neuhoff,** carmine
R	1	**Hugh Dickson,** brilliant crimson, shaded with scarlet
HT	2	**Imperial Potentate,** brilliant crimson
HT	2	**Ivy May,** Seedling of Mad. Butterfly, rose, golden veined
L	1	**J. Zingary,** yellow, orange with scarlet
HT	1	**Johan C. M. Mensing,** Sport of Ophelia, delicate rose
HT	3	**Johanniszauber,** dark blood red
HT	1	**John Henry,** bud rosy scarlet, flowers deep pink
HT	1	**Jonkher J. L. Mock,** bright red and salmon pink
L	3	**Julien Potin,** novelty, lemon yellow, excellent for forcing
HT	2	**Kaiserin Augusta Victoria,** pure white, white yellow centre
HT	2	**Kardinal Schulte,** carmine-red, fiery red shaded
HT	1	**Killarney rose,** rose colour, shaded with white and pale pink
HT	1	**Killarney white,** pure white
HT	2	**K. of K.,** scarlet crimson
HT	2	**Lady Florence Stronge,** reddish prawn shaded rose, yellow pink and scarlet
L	3	**Lady Forteviot,** blooms are golden yellow reddish apricot, shaded, big and good form
HT	2	**Lady Inchequin,** orange yellow
L	3	**Lady Magret Stewart,** cadmium orange, sweetly-scented
HT	2	**La France,** sylvery rose
HT	1	**Laurent Carle,** brilliant vevelty carmine
HT	1	**Lord Charlemont,** clear crimson
L	1	**Los Angeles,** rosy to fiery red
L	1	**Louise Katharine von Breslau,** coppery red, orange yellow veined
HT	1	**Mme. Abel Chatenay,** carmine rose with silvery petals
HT	2	**Mme. Butterfly,** very good sport of Ophelia, colour more coppery orange
HT	1	**Mme. Caroline Testout,** carmine
L	1	**Mme. Edouard Herriot** (Daily-Mail) brilliant coral-red
L	3	**Mme. Henri Queuille,** salmon red with darker centre, fiery red veined with gold
HT	1	**Mme. Jules Bouché,** salmon white, centre shaded with rose
HT	2	**Mme. Leon Guinotte,** bright rose, orange-yellow shaded
R	1	**Mme. Viktor Verdier,** bright cherry
R	1	**Magna Charta,** bright pink
HT	3	**Marcia Stanhope,** pure white, big, full
T	3	**Maréchal Niel,** delicate clear yellow
HT	1	**Margret Dickson Hamil,** delicate, mainly straw tinded with carmine on back

Species	Prieegroup	
HT	3	**Margaret M'Gredy,** geranium red with scarlet orange, of excellent form, very fine novelty
HT	2	**Maud Cumming,** peach- and coral-pink
HT	3	**Mevrouw G. A. van Rossem,** deep orange-yellow, with apricot-and bronce shades and tinded on golden yellow ground. Reverse of petals is brownish red with cherry red veined. Excellent rose for all purposes
HT	2	**Miss C. E. van Rossem,** velvety red
HT	2	**Mrs. A. R. Barraclough,** bright soft carmine-pink
HT	2	**Mrs. Charles Lamplough,** soft lemon
HT	2	**Mrs. Charles Russell,** rosy carmine, with brighter centre
HT	1	**Mrs. George Shawyer,** deep satin chinarose
HT	3	**Mrs. F. R. Pierson,** big, excellent form, scented, fiery carmine red, one of the best forcing roses
HT	1	**Mrs. Henry Bowles,** coral rose
HT	1	**Mrs. Henry Morse,** clear bright rose, washed and veined with vermillion
HT	1	**Mrs. Henry Winnet,** excellent cutting and forcing rose, crimson red, strongly scented
R	1	**Mrs. John Laing,** silky clear pink
L	1	**Mrs. Redford,** orange yellow
L	2	**Mrs. Wemys Quin,** yellow
HT	1	**Mrs. William C. Egan,** light carmine
HT	2	**Norman Lambert,** deep buttercup yellow, inside deep salmon orange
HT	1	**Ophelia,** salmon flesh, shaded with rose
R	1	**Paul Neyron,** clear rose
HT	1	**Pilgrim,** rose pink
HT	1	**Pink Pearl,** pink on yellow salmon ground
HT	1	**Preussen,** dark-red
HT	3	**Rapture,** Sport of Mme. Butterfly, sensationel novelty, apricot-coral coloured, rose and golden mixed. A rose with a big future
HT	2	**Red Columbia,** blackish red
HT	2	**Red Letter Day,** red
L	2	**Reverend F. Page Roberts,** golden orange yellow
HT	1	**Richmond,** reddish scarlet
HT	2	**Roselandia,** better Golden Ophelia, golden-yellow, flower bigger and brighter colour brilliant scarlet red
HT	2	**Senator,** Flower big, excellent form, velvety blackish shaded scarlet red, good scent, vigorous growth. Very good novelty
HT	2	**Sensation,** velvety crimson
HT	2	**Shot Silk,** bright cherry cerise, overshot with salmon orange
HT	2	**Sir David Davies,** bright crimson red
L	2	**Souvenir de Claudius Pernet,** brilliant clear yellow
L	1	**Souvenir de George Pernet,** orient-red, shaded yellow, occasional edged carmine
HT	2	**Souvenir de H.A.Verschuren,** deep yellow shaded
L	1	**The Queen Alexandra-Rose,** vermillion, reverse of petals old gold
R	1	**Ulrich Brunner fils,** cherry red
L	2	**Ville de Paris,** clear golden-yellow, bright colour
L	1	**Wilhelm Kordes,** one of the finest colour roses, edged coppery yellow

Species	Pricegroup	
		Moss- and Park-Roses
L	5a	**Austrian Yellow,** pure yellow
M	5a	**Blanche Morreau,** pure with
M	5a	**Captain John Ingram,** black red
M	5a	**Centifolia muscosa**
M	5a	**Cristata,** bright rose
G	5a	**F. J. Grootendorst,** bright red
L	5a	**Harrisoni,** golden yellow
R	5a	**J. B. Clerk,** bright red
L	5a	**Juliet,** old gold with scarlet
Rug.	5a	**Konrad Ferdinand Meyer,** silvery rose
L	5a	**Lutea bicolor,** yellow
Rug.	5a	**Nowa Zembla,** white, Sport of Konr. Ferd. Meyer
L	5a	**Persian Yellow,** pure yellow
L	5a	**Rosa Moyesii,** dark red
G	1	**Rosa Rubiginosa,** Sweet Briar
G	5a	**Rosa Rubiginosa magnifica,** bright red
G	1	**Rosa Rubrifolia,** wood and leaves red
Rug.	2	**Rosa Rugosa Regeliana,** rose
Rug.	2	**Rosa Rugosa Regeliana alba,** white
M	2	**Salet,** rose
Rug.	2	**Stern von Prag,** black red
Rug.	2	**Türkes Rugosa Seedling,** pure rose on yellow ground
		Polyantha-Roses on Briar
P	4	**Alice Amos,** cherry pink
P	4	**Eblouissant,** deep blood crimson
P	4	†**Ellen Poulsen,** cherry rose
P	4	**Else Poulsen,** bright rose-pink
P	4	†**Eva Teschendorf,** pure white
P	4	**Feuerschein,** bright red
P	4	**Frau Rudolf Schmidt,** fiery blood red, of very regular growth, fine for low hedges
P	4	†**Gloria Mundi,** 1 sh each
P	4	†**Goldlachs,** salmon
P	4	**Gruß an Aachen,** buds red-orange, flowers white
P	4	**J. F. Müller,** better bright red Sport of Rödhätte
P	4	†**Jessie,** bright red
P	4	**Joseph Guy,** bright scarlet
P	4	**Katharine Zeimet,** white
P	4	†**Kirsten Poulsen,** scarlet
P	4	†**Lady Reading,** red Ellen Poulsen
P	4	**La Reine Elizabeth,** deep crimson
P	4	**Lindbergh,** scarlet orange
P	4	†**Miss Edith Cavell,** bright red
P	4	**Nathalie Nypels,** bright rose with Daily Mail colour
P	4	†**Orange Perfection,** orange
P	4	**Orange Queen,** salmon
P	4	†**Orléansrose,** bright carmine
P	4	**Rödhätte,** cherry red
P	4	**Rudolf Kluis,** red
P	4	**Suzanne Turbat,** coral-red
P	4	**Triomphe Orléanais,** brillant scarlet
P	4	**Yvonne Rabier,** pure white

Species	Pricegroup	**Climbing-Roses**
C	5	**Alberic Barbier,** creamy-white with yellow
C	5	**American Pillar,** pink with white eye
P	5	**Auguste Kordes,** Climbing Joseph Guy
C	5	**Carmine Pillar,** carmine, white eye
HT	5	**Climbing Chat. de Clos Vougeot,** black shaded red
HT	5	**Climbing General Mac Arthur,** bright crimson
T	5	**Climbing Hillingdon,** deep apricot yellow
HT	5	**Climbing Ophelia,** salmon, shaded rose and orange
HT	5	**Climbing Paul Lêde,** yellow
HT	5	**Climbing Richmond,** scarlet red
HT	5	**Climbing Stevens,** pure white
L	5	**Climbing Wilhelm Kordes,** novelty, golden yellow, edged coppery yellow
C	5	**Crimson Rambler,** bright crimson
C	5	**Dorothy Perkins,** soft rose
HT	5	**Dr. Huey,** carmine rose
C	5	**Excelsa,** scarlet crimson
C	5	**Fräulein Oktavia Hesse,** pure white with yellow
T	5	**Gloire de Dijon,** orange with rose
C	5	**Hiawatha,** crimson
C	5	**Paul's Scarlet Climber,** vivid scarlet with bright crimson
C	5	**Royal Scarlet Hybrid,** bright scarlet
C	5	**Rubin,** bright rubin red
C	5	**Tausendschön,** carmine rose
C	5	**Veilchenblau,** bluish purple
C	5	**White Dorothy,** white

Novelties

Senta Schmidt (Rudolf Schmidt 1930)
This is a wunderful coloured Sport of Suzanne Turbat. The colour is yellow orange and constant, rich flowering and growing as Suzanne Turbat. As this colour is absolutely seldom under the Polyantha Roses and the effect is splendid can we highly recommend this rose. 3 sh each.

Catharine Kordes (W. Kordes Söhne). Crossing between Superb and Sensation. The colour is rubinred with velvety blood red shaded. The bud is pointed fiery blood red and opens willingly. 5 sh each.

Edith Krause (Max Krause 1930). Crossing of Mrs. Charles Lamplough and Souv. de H. A. Verschuren. Flower big, filled, of excellent form and straight up growing. The colour is like Kaiserin Aug. Victoria. 5 sh each.

Heinrich Wendland (W. Kordes Söhne 1930).
This is the finest colour rose. Crossing between Mevrouw G. A. van Rossem and Charles P. Kilham. The colour is on the outside of the petals bright golden yellow, the inside of petals are coppery brownish red. This contrast is of undescribable effect. The growth is vigorous and the leaves are deseaseless. 5 sh each.

Louise Krause (Max Krause 1930)
Crossing of Mrs. Beckwith and Souv. de H. A. Verschuren. Flower big, filled and of excellent form, straight compact growing. The colour is in the centre reddish orange and at the end of petals light yellow. 5 sh each.

Margarete Gnau (Max Krause 1930)
Crossing of Mrs. Charles Lamplough and Souv de H. A. Verschuren. Flower very big (40—50 petals). The colour is fleshy white on yellow ground. Buds long and pointed, very good Garden Rose. 5 sh each.

Max Krause (Max Krause 1930)
Crossing of Mrs. Beckwith and Souv. de H. A. Verschuren. Flower very big (45—50 petals) of excellentf orm. The colour is reddisch orange yellow, golden yellow when open. Brighter than all other roses in this colour. This novelty is the best of the recent years. 5 sh each.

Rose and Fruit Tree Stocks

Since years we have been specialising on all kind of Stocks, especially Canina, Genuine Briar and Fruit Tree Stocks. This year again nearly all our costumers have confirmed without application that the Stocks supplied from us have done it good again and have already ordered their requirements. That speaks of itself. Every year we are changing the land for the Stocks and that guarantees absolutely a healthy and stout Plant. Our Grading is good too. The Stock is the Foundation of the plant, therefore: „Pay a bit more and have a RESULT."

	Age	diametre in mm	per 1000 sh	per 10000 sh
Apple (Pirus malus)	3yrs. tr.	9—12	65/—	600/—
	3yrs. tr.	7—9	38/—	350/—
	2yrs. tr.	8—10	75/—	700/—
	2yrs. tr.	6—8	38/—	350/—
	1yr. tr.	6—8	55/—	
	1yr. tr.	4—6	15/—	
	1yr. S.	8—10	60/—	550/—
	1yr. S.	6—8	30/—	270/—
	1yr. S.	4—6	10/—	90/
Pear (Pirus communis)	3yrs. tr.	9—12	70/—	650/—
	3yrs. tr.	7—9	40/—	360/—
	2yrs. tr.	8—10	75/—	700/—
	2yrs. tr.	6—8	40/—	360/—
	1yr. tr.	6—8	55/—	
	1yr. S.	8—10	60/—	550/—
	1yr. S.	6—8	35/—	320/—
	1yr S.	4—6	10/—	90/—
Doucin				
amelioré	2yrs. tr.	8—10	140/—	
	2yrs. tr.	6—8	90/—	
	1yr. L.	6—8	65/—	
yellow	2yrs. tr.	8—10	120/—	
	2yrs. tr.	6—8	80/—	
	1yr. L.	6—8	55/—	
black	2yrs. tr.	8—10	130/—	
	2yrs. tr.	6—8	85/—	
	1yr. L.	6—8	60/—	
Paradise	2yrs. tr.	8—10	160/—	
	2yrs. tr.	6—8	120/—	
Peaches	1yr. S.	7—9	65/—	
	1yr. S.	5—7	55/—	
	1yr. S.	3—5	35/—	
Prunus				
Mahaleb	2yrs. tr.	6—10	40/—	
	1yr. S.	9—12	40/—	380/—
	1yr. S.	7—9	30/—	270/—
	1yr. S.	5—7	20/—	180/—
	1yr. S.	3—5	11/—	100/—
Prunus Mariana	1yr. C.	6—10	100/—	
Myrabolana	2yrs. tr.	9—12	45/—	400/—
	2yrs. tr.	6—9	35/—	300/—
	1yr. S.	7—9	40/—	360/—
	1yr. S.	5—7	30/—	270/—
	1yr. S.	3—5	15/—	120/—
spinosa	1yr. S.	5—7	25/—	225/—
	1yr. S.	3—5	15/—	130/—

ROSE AND FRUIT TREE STOCKS

	Age	diametre in mm	per 1000 sh	per 10 000 sh
Prunus				
St. Julien damascena . .	2yrs. tr.	8 – 10	100/—	
	2yrs. tr.	6 – 8	70/—	
	1yr. S.	6—8	80/—	
	1yr. S.	4—6	40/ –	
St. Julien, true	2yrs. tr.	6 – 9	40/—	370/ -
	1yr. S.	6—8	40/—	370/—
	1yr. S.	4—6	20/—	180/—
Quince	2yrs. tr.	8—10	160/—	
	2yrs. tr.	6—8	130/—	
Prunus cerasus	1yr. S.	7 - 9	50/—	
	1yr. S.	5 7	30/ –	
	1yr. S.	3—5	15/—	
Prunus avium	2yrs. tr.	9 – 12	100/—	
	2yrs. tr.	7 – 9	75/—	
	1yr. S.	9 – 12	110/—	1000/—
	1yr. S.	7—9	90/—	875/—
	1yr. S.	5—7	70/—	675/ –
	1yr. S.	3—5	40/—	375/—
Rosa canina				
Dog Briar	2yrs. tr.	10 – 14	40/—	
	2yrs. tr.	8 · 10	30/—	280/—
	2yrs. tr.	6—8	19/—	170/ –
	1yr. S.	8—12	33/—	300/—
	1yr. S.	5—8	20/—	180/—
	1yr. S.	4 – 6	11/—	100/—
	1yr. S.	3 – 5	7/—	60/—
	1yr. S:	2 – 3	3/—	25/—
Brögs	1yr. S.	8 – 12	50/—	480/—
	1yr. S.	5—8	40/—	380/—
	1yr. S.	3—5	20/—	180/—
	1yr. S.	2 3	5/—	
Deegen	2yrs. tr.	10—14	50/—	
	2yrs. tr.	8—10	35/—	
	2yrs. tr.	6—8	30/—	
	1yr. S.	8—12	40/—	
	1yr. S.	5—8	35/—	330/—
	1yr. S.	3—5	22/—	200/—
	1yr. S.	2—3	5/—	
Findling	1yr. S.	8—12	50/—	
	1yr. S.	5 – 8	30/—	
	1yr. S.	3—5	15/—	
	1yr. S.	2—3	4/—	
Jägerbataillon	1yr. S.	8—12	130/—	
	1yr. S.	5 – 8	80/—	
	1yr. S.	3—5	40/—	
	1yr. S.	2 - 3	20/—	
Kokulinsky	2yrs. tr.	8—10	35/—	330/—
	2yrs. tr.	6—8	30/—	280/—
	2yrs. tr.	4—6	15/—	140/—
	1yr. S.	8—12	45/—	430/—
	1yr. S.	5—8	35/—	330/—
	1yr. S.	3—5	16/—	140/—
	1yr. S.	2—3	4/—	35/—

ROSE AND FRUIT TREE STOCKS

	Age	diametre in mm	per 1000 sh	per 10000 sh
Rosa canina				
Schmid's Ideal	1yr.S.	8—12	80/—	
	1yr.S.	5—8	60/—	
	1yr.S.	3—5	30/—	
	1yr.S.	2—3	10/—	
Schmidt's Spezial	1yr.S.	8—12	80/—	
	1yr.S.	5—8	60/—	
	1yr.S.	3—5	30/—	
	1yr.S.	2—3	10/—	
Senff	1yr.S.	8—12	50/—	
	1yr.S.	5—8	35/—	330/—
	1yr.S.	3—5	16/—	140/—
	1yr.S.	2—3	4/—	35/—
Rosa				
Laxa	1yr.S.	8—12	33/—	300/—
	1yr.S.	5—8	20/—	180/—
	1yr.S.	3—5	7/—	60/—
	1yr.S.	2—3	3/—	25/—
Manetti	1yr.r.C.	5—8	40/—	
Pollmeriana	2yrs.tr.	8—10	50/—	
	2yrs.tr.	6—8	35/—	
	2yrs.tr.	4—6	20/—	
	1yr.S.	8—12	60/—	
	1yr.S.	5—8	40/—	380/—
	1yr.S.	3—5	20/—	180/—
	1yr.S.	2—3	10/—	
Polyantha (multiflora)	1yr.S.	8—12	45/—	
	1yr.S.	5—8	35/—	
	1yr.S.	3—5	20/—	
	1yr.S.	2—3	8/—	
Rubiginosa	2yrs.tr.	8—10	30/—	280/—
	2yrs.tr.	6—8	19/—	170/—
	2yrs.tr.	4—6	7/—	60/—
	1yr.S.	8—12	33/—	300/—
	1yr.S.	5—8	20/—	180/—
	1yr.S.	3—5	7/—	60/—
	1yr.S.	2—3	3/—	25/—
rugosa hollandica	1yr.r.C.	5—10	60/—	
Syringa vulgaris	3yrs.tr.	8—12	60/—	550/—
	3yrs.tr.	6—8	40/—	360/—
	2yrs.S.	8—12	60/—	550/—
	2yrs.S.	6—8	40/—	360/—
	2yrs.S.	4—6	15/—	130/—

Conifers

All Conifers are every second year transplanted and with good balls. They are often cut and therefore of the very best shape. After transit they should be put into a water-basin, so that the balls get thoroughly wet.

	Height in ins	each sh	per 10 sh	per 100 sh
Abies				
arizonica	60—70	35/—		
	70—80	40/—		
	80—100	50/—		
	100—120	60/—		
balsamea	12—16	10 d	8/6	80/—
	16—20	1/6	13/6	125/—
concolor	12—16	2/9	26/—	250/—
	16—24	4/—	37/—	350/—
	24—32	8/—	75/—	700/—
	32—40	14/—	125/—	
	40—50	20/—	180/—	
	50—60	27/—	250/—	
concolor violacea	40—48	30/—		
grandis	12—16	1/3	11/—	100/—
	16—24	1/9	16/—	150/—
Nordmanniana	12—16	2/9	26/—	250/—
	16—24	4/—	37/—	350/—
	24—32	8/—	75/—	
	40—50	20/—		
	50—60	25/—		
	60—70	30/—		
	70—80	40/—		
	80—100	50/—		
	100—120	70/—		
Veitchi	16—24	7/—	65/—	
	24—32	10/—	90/—	
	32—40	16/—		
Araucaria imbricata	8—10	4/—	35/—	
Cedrus				
atlantica glauca	16—24	5/—	45/—	
	24—32	7/6	70/—	
	32—40	12/—		
Deodora	16—24	4/—	35/—	
	24—32	7/—	65/—	
	32—40	12/—	110/—	
Chamaecyparis				
Lawsoniana	16—24	8 d	7/—	65/—
	24—32	1/3	11/—	100/—
	32—40	2/—	19/—	180/—
	40—50	2/9	27/—	250/—
	50—60	4/6	42/—	400/—
	60—70	6/6	62/—	600/—
	70—80	10/—	95/—	900/—
	80—90	15/—	140/—	1300/—
	90—100	20/—	180/—	1750/—
	100—120	25/—	220/—	
Laws. Alumi	16—24	10 d	8/6	80/—
	24—32	1/9	16/—	150/—
	32—40	2/9	26/—	250/—
	45—50	4/—	37/—	350/—
	50—60	6/6	62/—	600/—

	Height in ins	each sh	per 10 sh	per 100 sh
Chamaecyparis				
Laws. coerulea	16–24	1/4	13/—	120/—
Laws. Fletcheri	16–24	2/—	18/—	
Laws. Forsteckiana	4–6	2/3	20/—	
Laws. Fraseri	16–24	10 d	8/6	80/—
	24–32	1/9	16/—	150/—
	32–40	2/9	26/—	250/—
	40–50	4/—	37/—	350/—
	50–60	6/6	62/—	600/—
	60–70	12/—	115/—	1100/—
	80–90	20/—	180/—	
	90–100	22/—	200/—	
Laws. glauca nivea	24–32	1/9	16/—	150/—
	32–40	2/9	26/—	250/—
Laws. glauca Veitch	16–24	2/4	20/—	
Laws. intertexta	16–24	2/4	20/—	
	24–32	3/—	27/—	
Laws. monumentalis glauca	24–32	1/9	16/—	150/—
	32–40	2/9	26/—	250/—
Laws. monumentalis nova	24–32	1/6	16/—	150/—
	32–40	2/9	26/—	250/—
Laws. Silver Queen	16–24	2/3	20/—	
	24–32	3/—	27/—	
Laws. Stewartii	16–24	2/9	25/—	
Laws. Triumph de Boskoop	16–24	1/4	13/—	120/—
	24–32	2/3	21/—	200/—
	32–40	4/—	37/—	350/—
	40–50	6/6	62/—	600/—
	50–60	9/—	85/—	800/—
	60–70	15/—	140/—	1300/—
	70–80	20/—	180/—	1700/—
	80–90	22/—	200/—	
	90–100	25/—	225/—	
Laws. Wisseli	16–20	2/9	25/—	
optusa Crippsi	16–20	3/4	30/—	
optusa nana gracilis	4–6	2/3	20/—	
	6–8	2/9	25/—	
optusa pygmaea	6–10	2/3	20/—	
	8–12	2/9	25/—	
pisifera	16–24	1/—	9/—	80/—
	24–32	2/—	19/—	160/—
	32–40	3/—	29/—	260/—
	40–50	4/—	39/—	360/—
	50–60	8/—	75/—	700/—
	60–70	14/—	130/—	1200/—
pisifera aurea	16–24	2/—	19/—	180/—
	24–32	3/—	28/—	270/—
	32–40	4/6	42/—	400/—
	40–50	6/6	62/—	600/—
pisifera filifera	16–24	2/9	26/—	250/—
	24–32	4/6	42/—	400/—
	32–40	6/6	62/—	600/—
pisifera plumosa	12–16	8 d	6/6	60/—
	16–24	10 d	8/6	80/—
	24–32	1/3	11/—	100/—
	32–40	1/9	16/—	150/—
	40–50	2/3	21/—	200/—
	50–60	3/4	31/—	300/—

CONIFERS

	Height in ins	each sh	per 10 sh	per 100 sh
Chamaecyparis				
pisifera plumosa aurea	12–16	8 d	6/6	60/—
	16–24	1/—	9/6	90/—
	24–32	1/6	14/—	130/—
	32–40	2/6	21/—	200/—
	40–50	3/4	31/—	300/—
pisifera squarrosa	12–16	1/3	11/—	100/—
	16–24	1/5	13/—	125/—
	24–32	2/9	26/—	250/—
	32–40	5/—	47/—	450/—
	40–50	6/5	62/—	600/—
Cryptomeria japonica	16–24	2/—	18/—	
	24–32	3/—	28/—	260/—
	32–40	5/—	48/—	460/—
Juniperus				
chinensis Pfitzeriana	12–16	2/3	21/—	200/—
	16–24	3/6	31/—	300/—
	24–32	6/6	52/—	500/—
	32–40	8/—	77/—	750/—
	60–80	30/—		
communis	12–16	6 d	5/—	45/—
	16–24	1/—	9/—	80/—
	24–32	2/—	18/—	175/—
	32–40	2/9	26/—	250/—
communis cracovica	24–32	5/6	50/—	
	32–40	7/6	70/—	
communis hibernica	12–16	1/—	9/—	80/—
	16–24	2/—	19/—	180/—
	24–32	3/—	29/	275/—
	32–40	4/5	42/—	400/—
	40–50	6/6	62/—	600/—
communis suecica	16–24	2/—	19/—	180/—
	24–32	3/—	29/—	275/—
	32–40	4/5	42/—	400/—
japonica aurea	12–16	5/5	50/—	
	16–24	8/—	75/—	
	24–32	12/—		
Sabina broad	12–16	2/—	19/—	180/—
"	16–24	3/—	28/—	275/—
"	24–32	4/6	42/--	400/—
"	32–40	8/6	80/—	
"	40–48	12/—	110/—	
Sabina tamariscifolia broad	12–16	4/6	42/—	400/—
"	16–24	6/6	62/—	
"	24–32	10/—		
virginiana glauca	16–24	4/—	37/—	
	24–32	6/—	55/—	
	32–40	7/6	70/—	
virginiana tripartita	12–16	2/—	19/—	180/—
	16–24	3/—	28/—	275/—
	24–32	4/6	42/—	400/—
Larix				
europaea	32–40	1/—	9/—	80/—
	40–50	1/9	16/—	150/—
	50–60	2/3	21/—	200/—
	60–80	3/6	32/—	300/—
	80–100	4/6	42/—	400/—

CONIFERS

	Height in ins	each sh	per 10 sh	per 100 sh
Larix				
leptolepis	32—40	1/—	9/—	80/—
	40—60	1/9	16/—	150/—
	60—80	2/3	21/—	200/—
	80—100	3/6	31/—	300/—
	100—120	4/6	42/—	400/—
Picea				
alba	32—40	1/8	16/—	150/—
	40—50	2/3	21/—	200/—
	50—60	3/4	31/—	300/—
	60—70	4/6	42/—	400/—
	about 160	12/—		
excelsa . . . . per 1000 450/—	16—24	7 d	6/—	50/—
X-mas Trees and „ „ 600/—	24—32	1/—	8/—	70/—
for Balkony see „ „ 1000/—	32—40	1/4	12/—	110/—
page 66 „ „ 1400/—	40—50	1/8	16/—	150/—
„ „ 2000/—	50—60	2/5	23/—	220/—
„ „ 3300/—	60—70	4/—	38/—	350/—
	70—80	5/—	47/—	450/—
	80—100	6/6	62/—	600/—
excelsa compacta nana				
8—12 ins broad	6—8	2/6	22/6	200/—
12—16 „ „	6—8	4/—	38/—	350/—
excelsa pumila glauca				
8—10 ins broad	8—10	2/6	22/6	200/—
12—16 „ „	8—12	4/—	38/—	350/—
excelsa pygmaea 8—12 ins broad	8—12	2/—	19/—	180/—
Omorica	12—16	2/—	19/—	180/—
One of the finest Picea. Needles	16—24	3/4	31/—	300/—
underneath silvery, see also	24—32	5/—	47/—	450/—
„Young Conifers".	32—40	6/6	62/—	600/—
	40—50	9/—	85/—	800/—
	50—60	11/—	105/—	1000/—
orientalis	32—40	11 —	100/—	
	40—50	14/—	125/—	
	50—60	17/—	160/—	
	60—70	20/—		
	70—80	25/—		
	80—90	30/—		
pungens	12—16	10 d	8/—	75/—
	16—24	1/3	11/—	100/—
	24—32	2/3	21/—	200/—
	32—40	4/6	42/—	400/—
	40—50	6/6	62/—	600/—
pungens glauca, grown of Seedlings	12—16	1/6	13/—	125/—
of very fine blue colour.	16—24	3/4	31/—	300/—
	24—32	5/6	52/—	500/—
	32—40	9/—	85/—	800/—
	40—50	30/—		
	50—60	35/—		
	60—70	40/—		
pungens glauca Kosteri	12—16	5/—		
	16—24	11/—		
	24—32	15/—		
	32—40	25/—		
	40—50	30/—		
	50—60	35/—		
	60—70	40/—		

Tsuga canadensis — Pinus excelsa

Juniperus comm. suecica

Field of Box (Cut Globes and Bushes)



Rhododendron Catawbiense and Hybrids. 5000 Available

CONIFERS

		Height in ins	each sh	per 10 sh	per 100 sh
Picea					
pungens glauca Moerheimi		12—16	5/6	50/—	
		16–24	12/—	110/—	
		24—32	17/—	150/—	
		32—40	28/—		
Sitkaensis		32—40	1/3	11/—	100/—
		40—50	1/9	16/—	150/—
		50 - 60	2/3	21/	200/—
		80—100	7/—		
		100 120	10/—		
		140—160	22/—		
Pinus					
Banksiana		40—50	4/—		
		50—60	5/—		
		60—70	6/—		
Cembra		16—24	3/4	31/—	300/—
		24—32	5/6	52/—	500/—
		32—40	7/6	72/—	700/—
		40—50	10/—	95/—	900/—
		70—80	25/—	230/—	
contorta		16—24	1/9	16/—	150/—
		24—32	2/4	21/—	200/—
excelsa		16—24	2/4	21/—	200/—
		24—32	4/—	37/—	350/—
		32—40	5/6	52/—	
Laricio austriaca		16—24	4/6	38/—	350/—
		24 32	5/—	47/—	450/—
		32—40	8/—	75/—	700/—
		40—50	10/—	95/—	900/—
		50—60	15/—	140/—	1300/—
		70—80	25/—		
montana	per 1000	8 - 12	6 d	5/—	46/—
	" "	12—16	10 d	8/—	70/—
	" "	16—20	1/—	9/—	80/—
	" "	20—24	2/—	19/—	180/—
	" "	24 - 32	3/5	34/—	330/—
	" "	32—40	6/5	62/—	600/—
	" "	40—50	9/—	85/—	800/—
montana mughus		8—12	1/—	9/—	80/—
		12—16	1/6	14/—	130/—
		16—20	2/—	19/—	180/—
		20—24	2/7	25/—	240/—
Strobus		16—24	1/—	9/—	80/—
		24—32	1/6	14/—	125/—
		32—40	2/—	19/—	180/—
		40—50	2/6	24/—	225/—
		140—160	25/—		
sylvestris		12—16	8 d	7/—	60/—
		16—24	1/—	9/6	90/—
		32—40	2/9	26/—	250/—
		40—50	4/6	42/—	400/—
		50—60	5/6	52/—	500/—
		60—70	7/—	68/—	650/—
		70—80	8/6	80/—	750/—
Pseudotsuga					
Douglasi caesia		16—24	6 d	5/6	50/—
		24—32	9 d	8/6	80/—
		32—40	1/6	14/—	135/—
		40—50	2/6	24/—	220/—

CONIFERS

		Height in ins	each sh	per 10 sh	per 100 sh
Pseudotsuga					
Douglasi caesia		50—60	4/—	37/—	350/—
		60—70	6/—	57/—	550/—
		70—80	10/—	90/—	850/—
		80—100	20/—	180/—	
Douglasi glauca		16—24	6 d	5/6	60/—
		24—32	9 d	8/6	80/—
		32—40	1/6	14/—	135/—
		40—50	2/6	24/—	220/—
		50—60	4/—	37/—	350/—
		60—70	6/—	57/—	550/—
		70—80	13/—	125/—	1200/—
		80—100	20/—	180/—	
		100—120	28/—		
		140—160	35/—		
Douglasi glauca pyramidalis		12—16	1/3	11/—	100/—
		16—20	1/9	16/—	150/—
		20—24	2/3	21/—	200/—
Sciadopitys verticillata		16—24	5/—		
		32—40	12/—		
Taxus					
baccata	per 1000 1000/—	8—12	1/4	12/—	110/—
Broad,	" " 2000/—	12—16	2/5	23/—	220/—
full plants	" " 2500/—	16—20	3/—	28/—	275/—
	" " 3200/—	20—24	4/—	37/—	350/—
	" " 4200/—	24—28	5/—	47/—	450/—
	" " 5200/—	28—32	6/—	57/—	550/—
	" " 7000/—	32—36	8/—	77/—	750/—
	" " 8000/—	36—40	9/6	90/—	850/—
	" " 10000/—	40—50	13/—	120/—	1100/—
		50—60	18/—	170/—	1600/—
		60—70	25/—	240/—	2250/—
		70—80	33/—	310/—	3000/—
		80—90	40/—	370/—	3500/—
		90—100	45/—	430/—	4000/—
	cut pyramids	24—32	6/6	60/—	540/—
		32—40	10/—	90/—	800/—
		40—50	14/—	125/—	1200/—
		50—60	20/—	180/—	
		60—70	30/—	280/—	
		70—80	36/—	350/—	
		80—90	45/—	420/—	
baccata elegantissima					
about 20/24 ins broad			8/—	75/—	
baccata erecta Overeinderi		24—28	6/—	57/—	550/—
		28—32	7/—	67/—	650/—
		32—40	9/—	87/—	850/—
baccata fastigiata (hibernica)		12—16	3/4	31/—	300/—
		16—20	4/6	42/—	400/—
		20—24	5/6	52/—	500/—
		24—28	6/6	62/—	600/—
		28—32	9/6	90/—	850/—
		32—40	11/—	105/—	1000/—
		40—50	14/—	130/—	1200/—
		50—60	18/—	170/—	1600/—

CONIFERS

	Height in ins	each sh	per 10 sh	per 100 sh
Taxus				
baccata fastigiata aureo-variegata	12—16	3/4	31/—	300/—
	16—20	4/6	42/—	400/—
	20—24	5/6	52/—	500/—
	24—28	6/6	62/—	600/—
	28—32	9/6	90/—	850/—
	32—40	11/—	105/—	1000/—
	40—50	14/—	130/—	1200/—
	50—60	18/—	170/—	1600/—
Thuja				
gigantea aurescens	16—24	10 d	8/6	80/—
	24—32	1/7	16/—	150/—
	32—40	2/9	26/—	250/—
	40—50	4/6	42/—	400/—
	50—60	6/6	62/—	600/—
	60—70	9/—	85/—	800/—
occidentalis . . . . . per 1000				
Plants of best cut shape 550/—	16—24	8 d	6/6	60/—
several times 800/—	24—32	1/—	9/6	90/—
transplanted 950/—	32—40	1/4	12/—	100/—
1250/—	40—50	1/6	14/—	130/—
1600/—	50 - 60	2/—	19/—	175/—
4000/—	60—70	5/—	47/—	450/—
6500/—	70—80	7/6	72/—	700/—
	80—90	12/—	110/—	1000/—
	90—100	14/—	130/—	1200/—
	100—120	17/—	160/—	1500/—
Younger, cut plants 450/—	16—24	7 d	5/6	50/—
650/—	24—32	9 d	7/6	70/—
800/—	32—40	1/—	9/—	85/—
1000/—	40—50	1/4	12/—	110/—
1300/—	50—60	1/7	15/—	140/—
3000/—	60—70	3/6	34/—	330/—
4500/—	70—80	5/6	52/—	500/—
6500/—	80—90	7/6	72/—	700/—
occidentalis columna, the finest Thuja of pyramid growth. The foliage remains green throughout the winter, whilst the common Thuja gets a brownish colour; see also „Young Conifers".	32—40	4/—	37/—	350/—
	40—50	5/6	52/—	500/—
	50—60	7/—	67/—	650/—
occ. Ellwangeriana	16—24	1/—	9/—	80/—
	24—32	1/8	16/—	150/—
	32—40	2/8	26/—	250/—
	40—50	4/—	37/—	350/—
occ. Ellwangeriana elegantissima	16—24	1/6	13/—	120/—
	24—32	2/3	21/—	200/—
	32—40	3/4	31/—	300/—
occ. Ellwangeriana Rheingold . .	8—12	2/3		
	12—16	3/—		
	16—20	4/—		

CONIFERS

	Height in ins	each sh	per 10 sh	per 100 sh
Thuja				
occ. fastigiata	16—24	2/4	21/—	200/—
	24—32	3/—	27/—	250/—
	32—40	4/—	37/—	350/—
	40—50	5/6	52/—	500/—
	50—60	7/—	67/—	650/—
occ. globosa	12—16	2/3	20/—	
	16—20	3/4	30/—	
occ. Hoveyi	16—20	2/3	20/—	
	20—24	2/9	25/—	
	24—28	3/6	32/—	
	28—32	4/6	40/—	
occ. pyramidalis	24—32	2/6	22/—	200/—
	32—40	3/6	33/—	300/—
	40—50	4/6	43/—	400/—
	50—60	6/—	55/—	500/—
	60—70	7/6	70/—	650/—
	70—80	9/6	92/—	900/—
occ. recurva nana broad	8—12	1/9	15/—	
"	12—16	3/4	30/—	
"	16—20	5/—	45/—	
occ. Rosenthali	12—16	1/9	16/—	150/—
	16—24	3/—	27/—	250/—
	24—32	4/—	38/—	350/—
	32—40	5/—	48/—	450/—
	40—50	6/6	62/—	600/—
	60—70	12/—	110/—	1000/—
	70—80	15/—	140/—	
occ. spiralis	16—24	1/3	11/—	100/—
	24—32	1/6	14/—	130/—
	32—40	2/6	24/—	220/—
	100—120	17/—	160/—	
occ. Wagneri (Versmanni)	12—16	1/—	9/6	90/—
	16—24	1/5	13/—	125/—
	24—32	2/6	23/—	225/—
	32—40	3/4	31/—	300/—
	60—70	9/—	80/—	
occ. Wareana	16—24	1/9	16/—	150/—
	24—32	3/—	28/—	270/—
	32—40	4/—	38/—	360/—
	40—50	5/6	52/—	500/—
Thuyopsis dolobrata	12—16	1/6	14/—	130/—
	16—24	2/6	24/—	225/—
Tsuga canadensis	12—16	2/3	21/—	200/—
	16—24	4/—	37/—	350/—
	24—32	1/6	52/—	500/—
	32—40	7/6	72/—	700/—
	40—50	12/—	110/—	1000/—
	50—60	18/—	170/—	

Ornamental Trees and Shrubs

	Height in ins	each sh	per 10 sh	per 100 sh
Acanthopanax spinosum		7 d	5/6	50/—
Acer				
campestre, see „Forest Trees"				
colchicum rubrum		1/—	9/—	
dasycarpum (sacharium)	120	2/—		
ginnala	32—48	6 d	5/—	45/—
	48—60	8 d	7/—	65/—
Negundo		4 d	3/6	30/—
Negundo fol. argenteo variegatum				
Bushes	20—23	1/—	9/—	80/—
	32—40	1/2	11/—	100/—
Half-Standards	48—56	2/4	23/—	220/—
	56—64	2/7	26/—	250/—
Standards		4/4	42/—	400/—
Negundo Odessanum				
Bushes	32—50	1/2	11/—	100/—
Half-Standards	56—64	2/7	26/—	250/—
Standards	64—72	4/—	37/—	350/—
palmatum Bushes	20—32	6 d	4/6	40/—
palmatum atropurpureum	16—24	4/—	34/—	
	24—32	6/—	55/—	
	32—40	10/—	90/—	
	40—48	13/—	120/—	
palm. dissectum atropurpureum	16—24	6/6		
palm. dissectum viridis	16—24	6/6		
platanoides	50—70	3 d	2/6	20/—
	70—100	5 d	4/6	40/—
pseudoplatanus	50—70	3 d	2/6	20/—
pseudoplat. purpurescens	50—70	1/2	11/—	
tataricum aidzuense		7 d	5/—	
Aesculus hippocastanum	40—60	8 d	7/5	70/—
	60—80	1/7	16/—	150/—
Ailanthus glandulosa	50—70	6 d	5/6	50/—
Amelanchier				
botryapium		6 d	4/6	40/—
rotundifolia		6 d	4/6	40/—
spicata		6 d	4/6	40/—
Amorpha fruticosa		4 d	3/6	30/—
Artemisia Abrotanum		7 d	6/—	
Berberis				
brevipaniculata		7 d	6/—	
buxifolia (dulcis) nana, per 1000				
225/—	4—6	3 d	2/—	25/—
270/—	6—8	4 d	3/—	30/—
300/—	8—12	5 d	4/3	35/—
dictiophylla		7 d	6/6	
sinensis		7 d	6/—	55/—
stenophylla		1/7	16/—	
subcaulialata		1/7	16/—	
Thunbergi	12—16	4 d	3/—	25/—
	16—24	5 d	4/—	35/—
	24—32	6 d	5/—	45/—
Thunbergi atropurpurea	16—24	2/—	18/—	

	Height in ins	each sh	per 10 sh	per 100 sh
Berberis				
vulgaris	16—24	4 d	3/—	25/—
	24—32	5 d	3/6	30/—
	32—40	6 d	4/—	35/—
vulg. atropurpurea	16—24	4 d	3/—	25/—
	24—32	6 d	4/—	35/—
	32—40	7 d	5/—	45/—
Betula				
alba	40—60	4 d	3/6	25/—
	60—80	6 d	4/—	35/—
	80—100	1/2	11/—	100/—
	100—120	1/8	16/—	150/—
	120—160	3/—	27/—	250/—
alba atropurpurea	40—60	3/6	30/—	
	60—80	4/6	40/—	
alba fastigiata	40—60	2/6	20/—	
	60—80	3/6	30/—	
	80—100	4/6	40/—	
alba laciniata	40—60	3/6	30/—	
	60—80	4/6	40/—	
	80—100	5/6	50/—	
alba pendula Youngi, see „Wheeping Trees" page 49				
papyracea (papyfera)	40—60	4 d	3/—	30/—
	60—80	7 d	6/—	55/—
	80—100	1/3	11/—	100/—
	100—120	1/7	16/—	150/—
	120—160	2/—	27/—	250/—
verrucosa	40—60	6 d	4/6	40/—
	60—80	9 d	7/6	70/—
	80—100	1/6	13/—	125/—
	100—120	2/2	21/—	200/—
	120—160	3/3	31/—	300/—
Buddleia				
Lindleyana		6 d	5/5	50/—
variabilis (Davidii)		6 d	5/5	50/—
variabilis magnifica		6 d	5/5	50/—
variabilis Veitchiana		6 d	5/5	50/—
Calycanthus floridus	16—24	1/6	14/—	
	24—32	1/9	16/—	
Caragana arborescens	32—48	3 d	2/6	20/—
	50—60	4 d	3/—	25/—
	60—80	5 d	4/—	30/—
Carpinus				
betulus, see „Hedging-Plants" page 36				
betulus fastigiata	30 40	1/7	16/—	150/—
	40—50	2/2	21/—	200/—
	50—60	3/3	31/—	300/—
	60—70	4/4	42/—	400/—
	70—80	5/5	52/—	500/—
	80—100	7/6	72/—	700/—
Castanea vesca	50—70	2/—	18/—	
Catalpa				
Kaempferi		1/—	9/—	
syringaefolia	16—26	8 d	7/—	
	26—40	1/—	9/—	

	Height in ins	each sh	per 10 sh	per 100 sh
Ceanothus				
Available Sorts: americanus, Cérès, Georges Simon, Ibes rose, Marie Simon, Rose Carmin		2/—	18/—	
Chionanthus virginica	20—30	3/—	25/—	
Clematis, see „Climbing-Plants" page 50				
Colutea				
arborescens		3 d	2/6	20/—
orientalis		3 d	2/6	
Cornus				
alba	32—50	4 d	2/6	20/—
	50—70	5 d	3/6	30/—
alba flaviramea		6 d	5/6	
alba fol. arg. marginata		1/—	9/—	80/—
alba Späthi		1/—	9/—	80/—
mascula per 1000 270/—	16—24	4 d	3/6	30/—
„ 1000 340/—	24—32	6 d	4/6	38/—
„ 1000 500/—	32—40	9 d	7/—	60/—
	40—50	10 d	8/6	75/—
sanguinea per 1000 270/—	16—24	4 d	3/6	30/—
„ 1000 360/—	24—32	6 d	4/6	40/—
„ 1000 450/—	32—48	7 d	5/6	50/—
tatarica sibirica	30—40	7 d	5/6	50/—
Corylus				
Avellana	24—32	5 d	4/—	35/—
	32—40	6 d	4/6	40/—
	40—50	7 d	5/6	50/—
	50—60	8 d	6/6	60/—
Avellana atropurpurea	24—32	1/6	13/—	120/—
	32—40	1/9	16/—	150/—
colurna	32—48	1/3	10/—	
	48—60	1/6	13/—	
Cotoneaster				
applanata	32—48	7 d	6/6	60/—
bullata	32—48	6 d	4/6	40/—
divaricata		9 d	7/6	
Franchetii	16—24	6 d	5/6	50/—
	24—32	9 d	7/—	65/—
horizontalis broad	12—16	9 d	7/—	65/—
„	16—24	10 d	8/6	80/—
„	24—32	1/8	16/—	150/—
„	32—40	3/—	28/—	
microphylla		1/3	11/—	100/—
moupinensis	32—48	6 d	4/6	40/—
Simonsii	16—24	6 d	4/6	35/—
	24—32	7 d	5/6	45/—
	32—48	9 d	6/6	55/—
Crataegus				
coccinea	32—48	9 d	7/—	65/—
monogyna (oxyacantha) Bushes	30—40	3 d	2/6	18/—
„	40—50	4 d	3/6	28/—
„	50—60	6 d	4/6	35/—
monogyna kermesina fl. pl. „	40—50	9 d	7/—	45/—
„	50—60	1/—	9/6	60/—
„	60—70	1/4	13/—	80/—
„	70—80	1/9	16/—	90/—
Half-Standards		1/9	16/—	150/—
Standards see page 47				

	Height in ins	each sh	per 10 sh	per 100 sh
Crataegus				
sanguinea per 1000 350/—	24—32	5 d	4/6	40/—
„ 1000 450/—	32—40	7 d	5/6	50/—
Cydonia				
japonica	24—32	6 d	4/6	40/—
japonica Maulei per 1000 170/—	16—24	3 d	2/6	20/—
„ 1000 280/—	24—32	6 d	3/6	30/—
japonica umbilicata		7 d	6/—	
Cytisus				
hirsutus	20—24	6 d	4/6	40/—
Laburnum, see Laburnum vulgare				
praecox		1/9	15/—	
purpureus		1/9	15/—	
Daphne				
cneorum		3/6	32/—	
Mezereum album and rubrum	16—24	3/6	32/—	300/—
Deutzia				
crenata fl. pl.	32—48	4 d	3/6	30/—
cren. candidissima plena		4 d	3/6	30/—
cren. Fortunei	32—48	4 d	3/6	30/—
cren. macrosepala	32—40	4 d	3/6	30/—
cren. magnifica	32—48	4 d	3/6	30/—
cren. Pride of Rochester	32—40	4 d	3/6	30/—
cren. rosea pl.	32—40	4 d	3/6	30/—
discolor grandiflora	32—40	5 d	4/—	35/—
gracilis	12—16	4 d	3/6	30/—
	16—24	6 d	4/—	35/—
gracilis rosea	16—24	6 d	5/6	50/—
hybrida Wateri		6 d	4/—	35/—
hybr. Welsi		6 d	4/—	35/—
Lemoinei boule de neige		7 d	5/6	
Lem. compacta	20—28	6 d	5/6	50/—
Diervilla (Weigelia)				
amabilis		6 d	4/6	40/—
amabilis alba		6 d	4/6	40/—
floribunda		6 d	4/6	40/—
Héroine		10 d	8/6	
hybr. Eva Rathke per 1000 580/—	16—24	8 d	7/—	60/—
intermedia		6 d	4/6	40/—
intermedia Stelzneri		6 d	4/6	40/—
japonica		9 d	6/—	
Othello		9 d	6/—	
Pascal		9 d	6/—	
Pavillon blanc		1/—	9/—	
Président Duchartre		1/—	9/—	
styriaca		1/—	9/—	
van Houttei		6 d	4/6	40/—
Verschaffelti		6 d	4/6	40/—
Elaeagnus				
angustifolia		6 d	5/6	50/—
argentea	20—28	9 d	6/6	60/—
	28—40	1/—	9/—	80/—
	40—60	1/2	10/—	90/—
edulis	20—28	5 d	4/—	35/—
	28—40	6 d	5/—	40/—
Erica (Calluna) in sorts see ‚Evergreen-Plants' page 41				

Partial view of one of our nurseries (45 acres)
In foreground Fagus sylv. atropurpurea



Partial view of our Glass Bedges

Our Rose Stock Culture 1930 (10 acres)
Taken from the Railway Line



Partial view of our Rose Stock Culture 1930 (Rosa Kokulinsky)

	Height in ins	each sh	per 10 sh	per 100 sh
Evonymus				
europaea	28—50	4 d	3/6	30/—
	50—60	6 d	4/6	40/—
radicans		6 d	4/6	40/—
Exochorda Alberti macrantha		2/—	18/—	
Fagus				
sylvatica see „Hedging-Plants" page 37				
sylvatica atropurpurea grown of Seedlings with balls	16—24	1/—	9/6	90/—
	24—32	1/4	13/—	120/—
	32—40	2/—	18/—	160/—
	40—50	3/—	27/—	250/—
	50—60	4/6	42/—	400/—
	60—70	5/6	52/—	500/—
	70—80	10/—	95/—	900/—
	80—100	14/—	130/—	1200/—
	100—120	18/—	170/—	1600/—
sylvatica atropurp. Swat Magret, big leaved, graftings with balls	24—32	2/3	21/—	200/—
	32—40	3/4	31/—	300/—
	40—50	4/6	42/—	400/—
	50—60	6/6	62/—	600/—
	100—120	30/—	280/—	
	120—140	35/—	330/—	
sylvatica atropurpurea pendula see "Wheeping-Trees" page 49				
Fontanesia phillyreoides		9 d	5/—	
Forsythia				
intermedia	30—50	6 d	4/6	40/—
intermedia densiflora	24—32	6 d	4/6	40/—
intermedia spectabilis	24—32	6 d	4/6	40/—
intermedia vitellina	30—50	6 d	4/6	40/—
suspensa	30—40	9 d	7/6	70/—
suspensa Fortunei	30—50	9 d	7/6	70/—
suspensa Sieboldii	40—60	6 d	4/6	40/—
viridissima	30—50	6 d	4/6	40/—
Half-Standards in sorts	40—44	2/9	25/—	
Fraxinus				
excelsior	40—60	3 d	2/—	18/—
	60—80	4 d	3/—	28/—
	80—100	6 d	4/—	30/—
	100—120	9 d	6/—	50/—
ornus	32—60	6 d	4/6	40/—
	60—80	9 d	7/6	70/—
Fuchsia Riccartoniana		9 d	7/—	
Genista				
scoparia . . . per 1000 250/—		4 d	3/6	30/—
Available sorts: **scop. alba dura, scop. alba rosea, scop. alba multiflora, scop. Andreana, scop. Butterfly, scop. Dallimorei, scop. Firefly, scop. fl. alba, scop. Mayfly, praecox alba**		2/—	18/—	
Gleditschia triacanthos		7 d	6/6	60/—

	Height in ins	each sh	per 10 sh	per 100 sh
Hibiscus				
syriacus Hybr., Available sorts: **albus plenus, Admiral Dewey, ardens, Comte de Flandre, elegantissimus, Jeanne d'Arc, pulcherrimus, puniceus plenus, ranunculiflorus albus plenus, Souvenir de Charles Breton** .	12—16	1/3	11/—	100/—
Hippophae rhamnoides	20—28	4 d	3/—	25/—
	28—40	6 d	4/6	40/—
Hydrangea				
arborescens grandiflora		9 d	7/6	
paniculata grandiflora				
Bushes 3/5 shoots	20—32	4 d	3/—	28/—
" 5/8 "	20—32	6 d	4/6	38/—
" 8/12 "	20—32	9 d	5/6	50/—
Half-Standards	24—32	1/6	14/—	125/—
" "	32—40	2/6	22/—	200/—
" "	40—48	2/9	26/—	250/—
Hypericum Moserianum	12—20	9 d	7/—	65/—
Ilex, see "Evergreen-Plants" page 41				
Jasminum				
Beesianum	16—24	1/—	9/6	
nudiflorum	16—24	1/—	9/6	
nudiflorum aureum		1/—	9/6	
officinale		1/3	10/—	
revolutum		1/3	10/—	
Juglans regia	60—80	1/9	16/—	150/—
Kerria				
japonica	24—32	6 d	4/6	40/—
japonica fl. pl.	20—30	6 d	4/6	40/—
Laburnum				
alpinum	24—32	5 d	4/—	35/—
	32—60	9 d	5/—	45/—
vulgare . . . . . Bushes	32—40	4 d	3/—	25/—
"	40—60	6 d	4/—	35/—
"	60—80	9 d	6/—	50/—
Half-Standards		1/7	16/—	150/—
Standards		4/—	37/—	350/—
Vossi . . . . . Bushes		1/8	16/—	150/—
Half-Standards	48	2/6		
Lespedeza				
discolor	32—48	6 d	5/6	50/—
Sieboldii (Desmodium penduliflorum)	32—48	6 d	5/6	50/—
Ligustrum				
amurense	20—28	4 d	3/6	30/—
brachystachyum		9 d	5/6	50/—
Ibota	16—24	6 d	4/6	40/—
ionandrum	12—20	6 d	4/6	40/—
vulgare Lodense. Novelty. Evergreen Dwarf-Privet, hardy. During the winter are the leaves purple brown per 1000 600/—	about 12	10 d	7/6	70/—
ovalifol., see "Hedging-Plants" page 38				
ovalifolium aureo-marginatum . .		10 d	7/6	

	Height in ins	each sh	per 10 sh	per 100 sh
Ligustrum				
Regelianum	12—20	6 d	4/6	40/—
sinense		6 d	4/6	40/—
vulgare, see "Hedging-Plants" page 38				
vulgare atrovirens per 1000 300/—	12—16	5 d	4/—	35/—
Leaves are during „ 1000 400/—	16—24	6 d	5/—	45/—
the winter purple- „ 1000 500/— brown	24—32	9 d	6/—	55/—
Liquidamba styraciflua	16—24	1/—	9/—	
Lonicera				
Ledebouri	32—40	6 d	4/6	40/—
Morrowi	40—60	6 d	4/6	40/—
pileata, see page 44				
tatarica per 1000 300/—	40—60	5 d	4/—	35/—
Xylosteum „ 1000 230/—	28—40	4 d	3/—	25/—
„ 1000 330/—	40—60	6 d	4/—	35/—
Lycium europaeum (halimifolium) per 1000 360/—		6 d	4/6	40/—
Magnolia				
Soulangeana	24—32	9/—		
	32—40	12/—	110/—	
	40—50	14/—	130/—	
rustica fl. rubra	32—40	14/—		
	40—50	16/—		
Mahonia aquifolium, see „Hedging Plants" page 41				
Malus baccata				
fructo flavo		1/2	10/—	
bacc. fructo maximo		1/2	10/—	
bacc. Ringo		1/2	10/—	
bacc. The Fairy		1/2	10/—	
Eleyi		10 d	8/6	80/—
floribunda Arnoldiana		1/2	10/—	
floribunda purpurea		1/—	9/—	80/—
micromalus		1/—	9/—	
Niedzwetzkyana		10 d	8/6	80/—
Scheideckerie Bushes 3—5 shoots		6 d	4/—	35/—
„ 5—8 „		9 d	7/6	70/—
Half-Standards		2/6	22/—	
Sieboldi calocarpa		1/2	10/—	
Morus alba	32—40	6 d	4/6	40/—
Philadelphus				
Belle etoile		9 d	7/6	
Billiardi		5 d	4/—	35/—
brachybotris	32—40	5 d	4/—	35/—
coronarius	16—24	5 d	4/—	35/—
Etoile rose		10 d	7/6	
Falconeri	32—48	5 d	4/—	35/—
Gordonianum	50—60	5 d	4/—	35/—
grandiflorus	60—80	5 d	4/—	35/—
inodorus	24—32	5 d	4/—	35/—
	32—48	6 d	4/6	40/—
latifolius	32—48	5 d	4/—	35/—
Lemoinei albatre	24—32	6 d	4/6	40/—
Lem. Bouquet blanc	24—32	6 d	4/6	40/—

		Height in ins	each sh	per 10 sh	per 100 sh
Philadelphus					
Lem. erectus	per 1000 230/—	16—24	4 d	3/—	25/—
	" " 280/—	24—32	5 d	3/6	30/—
	" " 330/—	32—40	6 d	4/—	35/—
Lem. Manteau d'Hermine			6 d	4/6	40/—
Lem. Montblanc			5 d	4/—	35/—
Lem. Virginal		28—40	8 d	6/6	50/—
		40—48	10 d	6/6	60/—
Oeil de pourpure			10 d	7/6	70/—
pubescens		24—32	5 d	4/—	35/—
purpureus maculatus			10 d	7/6	
Satsumi Yokohamae		32—48	5 d	4/—	35/—
Physocarpus, see „Spiraea" page 33					
Populus					
alba bolleana		60—80	2/—	19/—	180/—
		80—100	2/9	26/—	250/—
		100—120	3/6	33/—	320/—
alba nivea		50—70	6 d	4/—	35/—
		70—100	9 d	5/6	50/—
balsamifera		60—80	8 d	5/—	45/—
		80—120	9 d	6/—	50/—
canadensis		60—80	4 d	3/—	30/—
		80—100	7 d	4/—	40/—
nigra fastigiata	per 1000 600/—	60—80	8 d	7/—	70/—
	" " 1000/—	80—100	1/6	12/—	110/—
	" " 1800/—	100—120	2/6	22/—	200/—
	" " 3300/—	120—140	4/—	37/—	350/—
		140—160	5/6	53 —	500/—
Simonii		80—100	1/—	9/—	80/—
		100—120	1/3	11/—	100/—
szechuanica		40—60	1/9	14/—	
trichocarpa		40—48	1/9	14/—	
Wilsonii		32—48	2/—	18/—	
Potentilla fruticosa		24—32	5 d	3/6	30/—
Prunus					
japonica fl. alba pl. (sinensis)			1/6	12/—	110/—
japonica fl. rosea pl.			1/6	12/—	110/—
Mahaleb	per 1000 190/—	32—40	3 d	2/6	20/—
	" " 280/—	40—50	5 d	3/6	30/—
Myrabolana		60—80	5 d	4/6	40/—
		80—100	6 d	5/—	45/—
Padus		32—50	6 d	4/6	40/—
		50—70	9 d	6/6	60/—
Pissardi	Bushes	40—60	6 d	4/6	40/—
	"	60—80	9 d	7/—	65/—
	"	80—100	1/—	9/5	90/—
	Half-Standards	40—50	1/6	14/—	125/—
	"	50—60	2/—	19/—	180/—
	Standards	60—72	3/—	29/—	270/—
Pissardi nigra	Bushes	40—60	9 d	6/5	60/—
	"	60—80	1/—	9/—	80/—
serotina		40—60	5 d	4/—	30/—
		60—80	6 d	4/6	40/—
serrulata Hisakura	Bushes		1/6	14/—	125/—
	Half-Standards		3/—	27/—	250/—
	Standards		5/—	47/—	450/—

	Height in ins	each sh	per 10 sh	per 100 sh
Prunus				
serrulata Shidare Sakura				
Bushes		1/6	14/—	125/—
Half-Standards		3/—	27/—	250/—
Standards		5/—	47/—	450/—
spinosa per 1000 180/—	16—26	3 d	2/6	20/—
" " 220/—	26—40	4 d	3/—	25/—
" " 300/—	40—56	6 d	4/—	35/—
triloba fl. pl. Bushes 3—5 shoots		5 d	4/—	35/—
" 5—8 "		6 d	5/5	50/—
extra stout		9 d	7/6	70/—
Standards	16—24	1/—	8/—	70/—
"	24—32	1/6	12/—	100/—
"	32—40	2/6	23/—	200/—
"	40—48	3/3	31/—	300/—
"	48—56	4/—	37/—	350/—
"	56—64	4/6	42/—	400/—
"	65—72	5/—	47/—	450/—
Ptelea trifoliata		6 d	5/—	45/—
Pterocarpa laevigata		1/6	14/—	
Quercus				
pedunculata (robur)	40—50	6 d	4/—	25/—
	50—60	7 d	6/—	50/—
	60—80	1/3	10/—	90/—
	80—100	2/—	19/—	180/—
	100—120	2/6	23/—	220/—
ped. fastigiata	40—50	3/3	31/—	300/—
	50—60	4/4	42/—	400/—
	60—70	6/6	62/—	600/—
	70—80	9/—	85/—	800/—
	80—100	12/—	110/—	1000/—
rubra	40—60	6 d	4/—	35/—
	60—80	9 d	7/—	65/—
Rhamnus		6 d	4/—	30/—
cathartica		6 d	4/—	30/—
Frangula				
Rhododendron, see „Evergreen Plants" page 45				
Rhodotypus kerrioides	20—28	6 d	5/—	45/—
Rhus				
Cotinus		10 d	8/6	80/—
Cotinus atropurpurea		1/—	9/6	90/—
glabra		10 d	8/6	80/—
glabra laciniata		10 d	8/6	80/—
thyphina		10 d	8/6	80/—
thyphina laciniata		10 d	8/6	80/—
Ribes				
alpinum per 1000 350/—	12—16	5 d	4/—	40/—
" " 420/—	16—24	6 d	5/—	45/—
" " 500/—	24—32	9 d	6/—	55/—

ORNAMENTAL TREES AND SHRUBS

	Height in ins	each sh	per 10 sh	per 100 sh
Ribis				
arboreum (divaricatum)	32—48	4 d	3/6	30/—
aureum	32—48	4 d	3/6	30/—
floridum	32—48	4 d	3/6	30/—
Gordonianum	32—48	8 d	5/6	50/—
sanguineum per 1000 260/—	32—48	4 d	3/6	30/—
sang. atrorubens	32—48	8 d	5/6	50/—
Robinia				
hispida rosea Bushes	24—36	1/6	13/—	120/—
Half-Standards		3/—	27/—	
Pseudoacacia	60—80	6 d	4/6	40/—
	80—120	9 d	6/6	60/—
Rosa				
canina	20—32	3 d	2/2	20/—
	32—50	4 d	3/6	30/—
Rubiginosa	24—40	4 d	3/—	28/—
	40—60	6 d	4/6	40/—
Rubrifolia.	20—32	5 d	3/6	30/—
Rugosa Regeliana	16—24	5 d	3/6	30/—
	24—32	6 d	4/6	40/—
	32—40	9 d	5/6	50/—
Rugosa Regeliana alba	12—20	5 d	3/6	30/—
Rubus phoenicolasius		9 d	5/6	
Salix				
alba argentea		4 d	3/6	30/—
alba vitellina Britzensis		4 d	3/6	30/—
alba vittellina pendula nova				
Bushes	60—80	10 d	8/6	80/—
"	80—100	1/9	16/—	150/—
Standards see „Wheeping Trees" page 49	100—120	2/2	21/—	200/—
	120—160	3/6	32/—	300/—
caprea		6 d	4/6	40/—
daphnoides (pulchra) pomeranica		6 d	4/6	40/—
rosmarinifolia		6 d	4/6	40/—
rotundifolia		6 d	4/6	40/—
Sambucus				
canadensis lutea		6 d	4/6	40/—
nigra	32—40	4 d	3/—	25/—
	40—60	5 d	3/6	30/—
	60—80	6 d	4/6	40/—
nigra laciniata		6 d	4/6	40/—
racemosa	40—60	5 d	3/6	33/—
	60—80	6 d	4/6	40/—

	Height in ins	each sh	per 10 sh	per 100 sh
Sophora japonica		1/9	15/—	
Sorbus				
aria lutescens	60—80	1/9	16/—	150/—
aucuparia	60—80	6 d	4/6	40/—
	80—120	9 d	7/6	70/—
scandica	60—80	6 d	4/6	40/—
	80—100	9 d	6/6	60/—
	100—120	1/3	11/—	100/—
Spiraea				
albiflora (callosa alba)	12—20	6 d	4/—	30/—
arguta	12—20	5 d	3/6	30/—
	20—28	6 d	4/6	40/—
	28—40	9 d	7/—	60/—
ariaefolia (Holodiscus discolor)		6 d	3/6	30/—
Billiardi	60—80	6 d	3/6	30/—
Bumalda Anthony Waterer				
per 1000 280/—	8—12	5 d	3/6	30/—
" " 360/—	12—16	6 d	4/6	40/—
" " 400/—	16—20	7 d	5/—	45/—
callosa Froebeli	16—24	4 d	3/—	28/—
	24—32	6 d	4/—	35/—
callosa rosea		6 d	4/—	35/—
callosa superba	12—16	4 d	3/—	28/—
	16—24	6 d	4/—	35/—
capitatus		6 d	4/6	
Douglasi	60—80	6 d	3/6	30/—
Fortunei semperflorens		6 d	3/6	30/—
hypericifolia thalictroides		6 d	3/6	30/—
Lindleyana		6 d	3/6	
opulifolia (Physocarpus opulifolia)		6 d	3/6	30/—
opulifolia lutea		6 d	4/—	35/—
prunifolia fl. pl.		10 d	8/—	70/—
Thunbergi		6 d	4/6	40/—
von Houttei per 1000 230/—	24—32	4 d	3/—	25/—
" " 270/—	32—48	6 d	3/6	30/—
" " 360/—	48—60	9 d	4/6	40/—
Staphylea colchica		1/—	9/—	
Stephanandra flexuosa		6 d	4/6	40/—
Symphoricarpus				
orbiculatus	20—28	6 d	4/—	30/—
per 1000 400/—	28—40	9 d	5/—	40/—
racemosus per 1000 250/—	24—32	4 d	3/—	28/—
,, 1000 300/—	32—48	6 d	4/—	35/—

	Height in ins	each sh	per 10 sh	per 100 sh
Syringa				
Josikaea		9 d	7/—	65/—
reflexa		9 d	7/—	65/—
Rothomagensis (chinensis)	28—40	1/6	13/—	125/—
	40—56	1/9	16/—	150/—
tomentella	60—80	1/—	9/—	
vulgaris	24—32	4 d	3/—	25/—
	32—40	6 d	4/—	35/—
	40—50	8 d	5/—	45/—
	50—60	10 d	8/—	70/—
vulgaris Marliensis	28—40	9 d	7/—	65/—
	40—48	10 d	8/—	75/—
vulgaris Half-Standards	24—32	2/2	20/—	
" "	32—40	3/3	30/—	
" "	40—48	4/—	35/—	
" "	48—56	4/6	40/—	
Standards	56—64	5/—	45/—	
	64—72	7/—	65/—	
lyr. graftings		6 d	5/—	45/—
Bushes with 3—5 shoots		1/6	13/—	120/—
" " 5—8 "		1/9	16/—	150/—
" " 8—12 "		2/9	26/—	250/—
Available sorts:				
Andenken an Ludwig Späth				
Charles X				
Congo				
Hugo Koster				
Jan van Tol				
Mme. Casimir Périer				
Mme. Florens Stepman				
Mme. Jules Finger				
Mme. Lemoine				
Marie Legraye				
Michel Buchner				
President Grevy				
Tamarix				
gallica indica		4 d	3/6	30/—
germanica		4 d	3/6	30/—
hispida aestivalis		6 d	5/—	45/—
juniperina (plumosa)		4 d	3/6	30/—
odessana		4 d	3/6	30/—
tetranda (africana)		4 d	3/6	30/—
tetr. parviflora		4 d	3/6	30/—
tetr. purpurea		4 d	3/6	30/—
Tecoma (Bignonia)				
see „Climbing Plants" page 50				
Tilia see „Hedging Plants" page 39				

	Height in ins	each sh	per 10 sh	per 100 sh
Ulmus				
americanuus . . per 1000 280/—	60—80	4 d	3/6	30/—
„ 1000 380/—	80—100	6 d	4/6	40/—
campestris, see „Hedging Plants" page 40				
camp. Louis van Houtte Standards	48—56	2/6	22/—	
	56—64	3/6	32/—	
	64—72	4/6	42/—	
camp. monumentalis (Wheatleyi) see „Hedging Plants" page 40				
hollandica, see „Hedging Plants" page 40				
montana, see „Hedging Plants" page 40				
mont. fastigiata	60—80	1/—	8/—	70/—
	80—100	1/6	13/—	120/—
	100—120	2/—	18/—	150/—
	120—160	3/—	28/—	250/—
mont. fast. Dampieri Wredei . .	24—32	1/9	16/—	150/—
	32—40	2/4	21/—	200/—
	40—48	3/—	26/—	250/—
Standards	24—32	2/—	18/—	
	56—64	3/6	32/—	
	64—72	4/6	42/—	
mont. Pitteursi, see „Hedging Plants" page 40				
vegata, see „Hedging Plants" page 40				
Veronica cupressoides		1/2	10/—	
Viburnum				
Carlesi	12—16	2/4	22/—	200/—
	16—24	3/6	33/—	300/—
Lantana . . . . per 1000 270/—	32—40	5 d	4/—	30/—
„ „ 400/—	40—56	7 d	5/—	45/—
opulus	24—32	5 d	4/—	30/—
	32—48	7 d	5/—	45/—
opulus sterile . . . . . Bushes	32—48	7 d	5/6	50/—
Standards	40—48	2/9	25/—	
rhytadophyllum		1/3	11/—	
tomentosum (plicatum)		1/9	16/—	150/—

Hedging-Plants

s.t.tr. = several times transplanted, tr. = transplanted,
S. = Seedling, C. = Cutting

Available sorts	Age	Height in ins	per 100 sh	per 1000 sh
Acer campestre	s. t. tr.	32—40	35/—	300/—
I. quality, cut, grown on canes	s. t. tr.	40—50	50/—	450/—
	s. t. tr.	50—60	60/—	540/—
	s. t. tr.	60—70	80/—	750/—
	s. t. tr.	70—80	110/—	1000/—
	s. t. tr.	80—90	125/—	1200/—
	s. t. tr.	90—100	160/—	1500/—
	s. t. st.	100—120	225/—	
II. quality	s. t. tr.	32—40	30/—	250/—
	s. t. tr.	40—50	40/—	350/—
Younger plants see page 51	s. t. tr.	50—60	50/—	450/—
	s. t. tr.	60—70	65/—	600/—
Berberis Thunbergi	s. t. tr.	12—16	25/—	230/—
	s. t. tr.	16—24	35/—	330/—
	s. t. tr.	24—32	45/—	400/—
vulgaris	s. t. tr.	16—24	25/—	230/—
	s. t. tr.	24—32	30/—	270/—
	s. t. tr.	32—40	35/—	330/—
vulgaris atropurpurea	s. t. tr.	16—24	25/—	230/—
	s. t. tr.	24—32	35/—	330/—
	s. t. tr.	32—40	45/—	400/—
Caragana arborescens	s. t. tr.	32—50	20/—	
Younger, once transpl.	s. t. tr.	50—60	25/—	
plants, see page 55	s t. tr.	60—80	30/—	
Carpinus betulus	s. t. tr.	32—40	55/—	500/—
I. quality. Several times transplant.	s. t. tr.	40—50	80/—	750/—
out of wide rows, very fine feath-	s. t. tr.	50—60	130/—	1200/—
ered with one main shoot, grown	s. t. tr.	60—70	175/—	1600/—
on canes	s. t. tr.	70—80	230/—	2100/—
	s. t. tr.	80—90	250/—	2400/—
	s. t. tr.	90—100	275/—	2600/—
	s. t. tr.	100—120	330/—	3000/—
	s. t. tr.	120—140	375/—	
	s. t. tr.	140—160	450/—	
II. quality. out of small rows	s. t. tr	24—32	23/—	180/—
	s. t. tr.	32—40	30/—	280/—
	s. t. tr.	40—50	40/—	380/—
Younger, once transpl. plants	s. t. tr.	50—60	60/—	550/—
see page 51	s t. tr.	60—70	85/—	750/—
	s. t. tr.	70—80	100/—	950/—
Cornus mascula	s, t. tr.	16—24	30/—	270/—
	s. t. tr.	24—32	38/—	340/—
	s. t tr.	32—40	60/—	500/—
	s. t. tr.	40—50	75/—	
sanguinea	s. t. tr.	16—24	30/—	270/—
	s. t. tr.	24—32	40/—	360/—
	s. t. tr.	32—48	50/—	450/—
Corylus avellana	s. t. tr.	24—32	35/—	330/—
	s. t. tr.	32—40	40/—	380/—
	s. t. tr.	40—50	50/—	450/—
	s. t. tr.	50—60	60/—	
shrubs in big fruiting sorts	3yr. tr.	20—32	22/—	200/—
small shrubs			50/—	

HEDGING-PLANTS

	Age	Height in ins	per 100 sh	per 1000 sh
Cotoneaster				
applanata	s. t. tr.	16—24	33/—	
	s. t. tr.	24—32	42/—	
	s. t. tr.	32—40	55/—	
	s. t. tr.	40—50	70/—	
bullata	s. t. tr.	24—32	30/—	
	s. t. tr.	32—48	40/—	
Franchetii	s. t. tr.	16—24	50/—	
	s. t. tr.	24—32	65/—	
moupinensis	s. t. tr.	24—32	30/—	
	s. t. tr.	32—48	40/—	
Simonsii	s. t. tr.	16—24	35/—	
	s. t. tr.	24—32	45/—	
	s. t. tr.	32—48	55/—	
Crataegus coccinea	s. t. tr.	16—24	35/—	320/—
	s. t. tr.	24—32	50/—	450/—
	s. t. tr.	32—48	65/—	
monogyna	s. t. tr.	30—40	18/—	150/—
	s. t. tr.	40—50	28/—	250/—
	s. t. tr.	50—60	35/—	300/—
	s. t. tr.	60—80	45/—	400/—
per 10000 12—14 mm diametre	4yrs.tr.	32—48	6/—	50/—
350/— 9—12 „ „	4yrs tr.	32—48	5/—	38/—
285/— 6—9 „ „	3yrs.tr.	24—32	4/—	30/—
190/— 4—6 „ „	2yrs.tr.	16—24	3/—	20/—
see also page 52				
monogyna kermesina fl. pl.	s. t. tr.	40—50	45/—	400/—
	s. t. tr.	50—60	60/—	550/—
	s. t. tr.	60—70	80/—	700/—
	s. t. tr.	70—80	90/—	800/—
sanguinea	s. t. tr.	24—32	40/—	350/—
	s. t, tr.	32—40	50/—	450/—
Cydonia japonica Maulei	s. t. tr.	12—20	20/—	170/—
Younger, once transpl. plants	s. t. tr.	16—24	20/—	170/—
see page 56	s. t. tr.	24—32	30/—	280/—
Deutzia gracilis	s. t. tr.	12—16	30/—	
	s. t. tr.	16—24	35/—	
Fagus sylvatica	s. t. tr.	32—40	40/—	350/—
I. quality, several times transpl., out of wide rows very fine feathered, with one main shoot, grown on canes	s. t. tr.	40—50	60/—	500/—
	s. t. tr.	50—60	80/—	700/—
	s. t. tr.	60—70	100/—	900/—
	s. t. tr.	70—80	150/—	1300/—
	s. t. tr.	80—90	170/—	1500/—
	s. t. tr.	90—100	200/—	1800/—
	s. t. tr.	100—120	330/—	3000/—
II. quality. Twice transplanted out of small rows	s. t. tr.	32—40	17/—	150/—
	s. t. tr.	40—50	30/—	250/—
	s. t. tr.	50—60	35/—	320/—
	s. t. tr.	60—70	50/—	450/—
see also page 52	s. t. tr.	70—80	80/—	750/—
sylvatica atropurpurea, see „Ornamental Trees and Shrubs" page 24				
Ligustrum				
Lodense. Novelty with a big future. Absolutely hardy. Dwarf-Liguster for low close hedges. In winter are the leaves purple brown	s. t. tr.	12	70/—	600/—
	1 yrs r. C.		12/—	100/—

		Age	Height in ins	per 100 sh	per 1000 sh
Ligustrum					
ovalifolium					
per 10000	2300/— 10—20 shoots	s. t. tr.	24—32	30/—	250/—
" "	3000/— 10—20 "	s. t. tr.	32—40	40/—	330/—
" "	10—20 "	s. t. tr.	40—48	50/—	450/—
" "	2000/— 8—15 "	s. t. tr.	24—32	25/—	220/—
" "	2500/— 8—15 "	s. t. tr.	32—40	33/—	280/—
" "	8—15 "	s. t. tr.	40—48	40/—	360/—
" "	750/— 5—8 "	3 yrs. tr.	12—20	10/—	80/—
" "	1100/— 5—8 "	3 yrs. tr.	20—32	15/—	130/—
" "	1800/— 5—8 "	3 yrs. tr.	32—40	25/—	200/—
" "	430/— 2 shoots and more	2 yrs. r.C.	12—20	5/—	45/—
" "	720/— 2 " " "	2 yrs. r.C.	20—32	9/—	75/—
" "	900/— 2 " " "	2 yrs. r.C.	32—40	12/—	100/—
" "	240/—	1 yrs. r.C.	6—12	3/6	25/—
vulgaris					
per 10000	2300/— 10—20 shoots	s. t. tr.	24—32	30/—	250/—
" "	3000/— 10—20 "	s. t. tr.	32—40	40/—	330/—
" "	4200/— 10—20 "	s. t. tr.	40—48	50/—	450/—
" "	2000/— 8—15 "	s. t. tr.	24—32	25/—	220/—
" "	2500/— 8—15 "	s. t. tr.	32—40	33/—	280/—
" "	3300/— 8—15 "	s. t. tr.	40—48	40/—	360/—
" "	750/— 5—8 "	3yrs. tr.	12—20	10/—	80/—
" "	1100/— 5—8 "	3yrs. tr.	20—32	15/—	130/—
" "	1800/— 5—8 "	3yrs. tr.	32—40	25/—	200/—
" "	430/— 2 shoots and more	2yrs. r. C.	12—20	5/—	45/—
" "	700/— 2 " " "	2yrs. r. C.	20—32	9/—	75/—
" "	900/— 2 " " "	2yrs. r. C.	32—40	12/—	100/—
" "	270/—	1yr. r. C.	6—12	4/6	40/—
vulgaris atrovirens		s. t. tr.	12—16	35/—	300/—
Leaves are during the winter purple brown		s. t. tr.	16—24	45/—	400/—
		s. t. tr.	24—32	55/—	500/—
		2yrs. r. C.	12—20	15/—	140/—
		2yrs. r. C.	20—32	22/—	200/—
		1yr. r. C.	5—10	10/—	80/—
Lonicera					
tatarica		s. t. tr.	40—60	35/—	300/—
Xylosteum		s. t. tr.	28—40	25/—	230/—
		s. t. tr.	40—60	35/—	330/—
Philadelphus					
Lem. erectus		s. t. tr.	16—24	25/—	230/—
		s. t. tr.	24—32	30/—	280/—
		s. t. tr.	32—40	35/—	330/—
Lem. Virginal		s. t. tr.	28—40	50/—	
		s. t. tr.	40—48	60/—	
Prunus					
Mahaleb		s. t. tr.	32—40	20/—	190/—
		s. t. tr.	40—50	30/—	280/—
Myrabolana		s. t. tr.	60—80	40/—	350/—
		s. t. tr.	80—100	45/—	
Padus		s. t. tr.	32—50	40/—	350/—
		s. t. tr.	50—70	60/—	550/—
Pissardi		s. t. tr.	40—60	40/—	
		s. t. tr.	60—80	65/—	
		s. t. tr.	80—100	90/—	
serotina		s. t. tr.	30—40	24/—	200/—
		s. t. tr.	40—60	30/—	250/—
		s. t. tr.	60—80	40/—	350/—

	Age	Height in ins	per 100 sh	per 1000 sh
Prunus				
spinosa	s. t. tr.	16—26	20/—	180/—
	s. t. tr.	26—40	25/—	220/—
	s. t. tr.	40—56	35/—	300/—
Ribes				
alpinum	s. t. tr.	12—16	40/—	350/—
	s. t. tr.	16—24	45/—	420/—
	s. t. tr.	24—32	55/—	500/—
arboreum (divaricatum)	s. t. tr.	32—48	30/—	250/—
sanguineum	s. t. tr.	32—48	30/—	260/—
Robinia pseudoacacia	s. t. tr.	60—80	40/—	360/—
	s. t. tr.	80—120	60/—	540/—
Rosa				
Canina	s. t. tr.	20—32	20/—	180/—
	s. t. tr.	32—50	30/—	270/—
Rubiginosa	s. t. tr.	16—24	18/—	150/—
	s t. tr.	24—40	28/—	270/—
	s. t. tr.	40—60	40/—	360/—
Rubrifolia	s. t. tr.	20—32	30/—	270/—
Rugosa Regeliana	s. t. tr.	16—24	30/—	
	s. t. tr.	24—32	40/—	360/—
Rug. Regeliana alba	s. t. tr.	12—20	30/—	270/—
Spiraea				
albiflora (callosa alba)	s. t. tr.	12—20	30/—	270/—
arguta	s. t. tr.	12—20	30/—	270/—
	s. t. tr.	20—28	40/—	350/—
	s. t. tr.	28—40	60/—	550/—
Billiardi	s. t. tr.	60—80	30/—	270/—
Bumalda Anthony Waterer	s. t. tr.	8—12	30/—	280/—
	s. t. tr.	12—16	40/—	360/—
	s. t. tr.	16—20	45/—	400/—
callosa Froebeli	s. t. tr.	16—24	28/—	250/—
	s. t. tr.	24—32	35/—	330/—
Douglasi	s. t. tr.	60—80	30/—	270/—
van Houttei	s. t. tr.	24—32	25/—	230/—
	s. t. tr.	32—48	30/—	270/—
	s. t. tr.	48—60	40/—	360/—
Sambucus nigra and racemosa see page 33				
Symphoricarpus racemosus	s. t. tr.	24—32	28/—	250/—
	s. t. tr.	32—48	35/—	300/—
Syringa				
vulgaris	s. t. tr.	24—32	25/—	230/—
	s. t. tr.	32—40	35/—	330/—
	s. t. tr.	40—50	45/—	400/—
	s. t. tr.	50—60	70/—	600/—
vulgaris Marliensis	s. t. tr.	28—40	65/—	600/—
	s. t. tr.	40—48	75/—	700/—
Tilia parvifolia	s. t. tr.	32—40	55/—	500/—
	s. t. tr.	40—50	65/—	600/—
	s. t. tr.	50—60	110/—	1000/—
Younger, once transpl. plants see page 53	s. t. tr.	60—70	150/—	1400/—
	s. t. tr.	70—80	220/—	2000/—
	s. t. tr.	80—100	275/—	2500/—

HEDGINGS - PLANTS

	Age	Height in ins	per 100 sh	per 1000 sh
Ulmus				
campestre	s. t. tr.	32—40	27/—	250/—
	s. t. tr.	40—50	40/—	350/—
	s. t. tr.	50—60	55/—	500/—
	s. t. tr.	60—70	80/—	750/—
	s. t. tr.	70—80	110/—	1000/—
Younger, once transpl. plants see page 53	s. t. tr.	80—100	165/—	1500/—
	s. t. tr.	100—120	220/—	2000/—
	s. t. tr.	120—140	275/—	2500/—
campestre monumentalis (Wheatleyi)	s. t. tr.	40—50	80/—	720/—
	s. t. tr.	50—60	100/—	900/—
	s. t. tr.	60—80	150/—	1300/—
	s. t. tr.	80—100	200/—	1800/—
	s. t. tr.	100—120	250/—	2250/—
hollandica	s. t. tr.	60—80	45/—	400/—
	s. t. tr.	80—100	65/—	600/—
montana	s. t. tr.	40—60	25/—	200/—
	s. t. tr.	60—80	45/—	400/—
	s. t. tr.	80—100	65/—	600/—
	s. t. tr.	100—120	110/—	1000/—
mont. Pitteursi	s. t. tr.	40—60	60/—	540/—
	s. t. tr.	60—80	80/—	720/—
	s. t. tr.	80—100	125/—	1100/—
vegeta	s. t. tr.	60—80	80/—	720/—
	s. t. tr.	80—100	125/—	1100/—
Viburnum				
lantana	s. t. tr.	32—40	30/—	270/—
	s. t. tr.	40—56	45/—	400/—
opulus	s. t. tr.	24—32	30/—	270/—
	s. t tr.	32—48	45/—	400/—
opulus sterile	s. t. tr.	32—48	50/—	

Evergreen Hedging-Plants and Conifers

tr. = transplanted, s. t. tr. = several times transplanted,
B = plants with balls

	Age	Height in ins	per 10 sh	per 100 sh	per 1000 sh
Berberis buxifolia (dulcis) nana		4—6	3/—	25/—	225/—
		6—8	3/6	30/—	270/—
		8—12	4/—	35/—	300/—
Buxus sempervirens (arborescens)					
about 6—8 ins broad	B	8—12	7/6	70/—	600/—
„ 6—10 „ „	B	12—16	12/6	120/—	1100/—
„ 8—12 „ „	B	16—20	22/6	220/—	2000/—
extra broad Bushes	B	20—24	34/—	330/—	3000/—
„ „ „	B	24—28	51/—	500/—	
„ „ „	B	28—32	71/—	700/—	
without balls	s. t. tr.	8—12	4/—	35/—	300/—
Younger plants without balls see page 55					
suffruticosa (Edging Box)					
per 10 current metres			4/—		
„ 100 „ „			38/—		
„ 1000 „ „			350/—		
Chamaecyparis Lawsoniana pisifera plumosa pisifera plumosa aurea pisifera squarrosa see „Conifers" page 16					
Cotoneaster applanata, bullata, Franchetii, moupinensis, Simonsi, see page 25					
Erica calluna (carnea) and other sorts			6/—	55/—	500/—
Evonymus radicans			4/6	40/—	
Ilex aquifolium	B	16—24	26/—	250/—	
	B	24—32	37/—	350/—	
	B	32—40	52/—	500/—	
	B	40—50	67/—	650/—	
	B	50—60	83/—	800/—	
	B	60—70	160/—	1500/—	
„ **aquifolium pyramidale (latifolia)**	B	16—24	26/—	250/—	
	B	24—32	37/—	350/—	
	B	32—40	52/—	500/—	
	B	40—50	67/—	650/—	
	B	50—60	83/—	800/—	
	B	60—70	160/—	1500/—	
Mahonia aquifolia					
transplanted bushes with balls	B	12—16	5/8	55/—	500/—
„ „ „ „	B	16—20	7/3	70/—	650/—
„ „ „ „	B	20—24	11/—	100/—	900/—
	s. t. tr.	8—12	3/—	25/—	220/—
	s. t. tr.	12—16	4/—	35/—	300/—
	s. t. tr.	16—20	5/—	45/—	400/—

EVERGREEN HEDGING-PLANTS AND CONIFERS

	Age	Height in ins	per 10 sh	per 100 sh	per 1000 sh
Mahonia aquifolia					
1-2yrs.plants per 10000 420/—	3 yrs.tr	6—12	8 d	5/—	45/—
see page 57 „ 10000 600/—	3 yrs.tr	8—16	1/—	7/6	65/—
„ 10000 800/—	4 yrs.tr	8—16	1/3	10/—	85/—
Picea alba, see ‚Conifers' page 18					
„ **excelsa**	B	16—24	6/—	50/—	450/—
	B	24—32	8/—	70/—	600/—
	B	32—40	12/—	110/—	1000/—
Younger 3—4yrs. plants	B	40—50	16/—	150/—	1400/—
see page 63	B	50—60	23/—	220/—	2000/—
	B	60—70	38/—	350/—	3300/—
	B	70—80	47/—	450/—	
	B	80—100	62/—	600/—	
Pinus montana	B	8—12	5/—	46/—	430/—
	B	12—16	8/—	70/—	600/—
	B	16—20	9/—	80/—	700/—
Younger 3—5yrs. plants	B	20—24	19/—	180/—	1700/—
see page 64	B	24—32	34/—	330/—	3000/—
	B	32—40	62/—	600/—	5500/—
	B	40—50	85/—	800/—	
„ **montana mughus** . . .	B	8—12	9/—	80/—	
	B	12—16	14/—	130/—	
	B	16—20	19/—	180/—	
	B	20—24	25/—	240/—	
Taxus baccata . . broad plants	B	8—12	12/—	110/—	1000/—
	B	12—16	23/—	220/—	2000/—
	B	16—20	28/—	275/—	2500/—
	B	20—24	37/—	350/—	3200/—
	B	24—28	47/—	450/—	4200/—
	B	28—32	57/—	550/—	5200/—
	B	32—36	77/—	750/—	7000/—
Younger plants without balls	B	36—40	90/—	850/—	8000/—
see page 64	B	40—50	120/—	1100/—	10000/—
	B	50—60	170/—	1600/—	
	B	60—70	240/—	2250/—	
	B	70—80	310/—	3000/—	
	B	80—100	370/—	3500/—	
Teucrium chamaedrys . . .		6—10	2/—	25/—	225/—
Thuja gigantea aurescens					
see „Conifers" page 21					
„ **occidentalis**	B	16—24	6/6	60/—	550/—
	B	24—32	9/6	90/—	800/—
	B	32—40	12/—	100/—	950/—
	B	40—50	14/—	130/—	1250/—
	B	50—60	19/—	175/—	1600/—
	B	60—70	47/—	450/—	4000/—
	B	70—80	72/—	700/—	6500/—
	B	80—90	110/—	1000/—	
	B	90—100	130/—	1200/—	
	B	100—120	160/—	1500/—	
Younger, cut plants	B	16—24	5/6	50/—	450/—
	B	24—32	7/6	70/—	650/—
	B	32—40	9/—	85/—	800/—
	B	40—50	12/—	110/—	1000/—
	B	50—60	15/—	140/—	1300/—
	B	60—70	34/—	330/—	3000/—
	B	70—80	52/—	500/—	4500/—
	B	80—90	72/—	700/—	6500/—

Philadelphus
Lemoinei Virginal

Below :
Flowering Hedge of
Philadelphus
Lem. Virginal in
our nurseries 1930



Field with Privet, oval leaved



Privet, oval leaved, Bushes

EVERGREEN HEDGING-PLANTS AND CONIFERS

	Age	Height in ins	per 10 sh	per 100 sh	per 1000 sh
Thuja occidentalis					
without balls	2×tr.	12—16	2/—	18/—	150/—
	2×tr.	16—24	3/—	27/—	250/—
	2×tr.	24—32	4/—	35/—	320/—
	2×tr.	32—40	5/—	45/—	400/—
per 10000 470/—	4 yrs.tr	8—18		6/—	50/—
„ 10000 570/—	4 yrs.tr	10—20		7/—	60/—
„ 10000 600/—	4 yrs.tr	12—24		8/—	65/—
Thuja occ. columna					
„ **occ. Ellwangeriana**					
„ **occ. Ell. elegantissima**					
„ **occ. fastigiata**					
„ **occ. pyramidalis**					
„ **occ. spiralis**					
see „Conifers" page 21—22					
Vinca major			5/6	50/—	
„ **minor**			3/6	30/—	

Evergreen Plants

	Height in ins	each sh	per 10 sh	per 100 sh
Andromeda floribunda	16—20	4/—	35/—	
Azalea				
mollis, red and yellow flowering plants	10—12	2/—	19/—	180/—
with buds	12—16	2/6	23/—	220/—
	16—20	3/6	34/—	320/—
	20—24	4/6	42/—	400/—
pontica-Hybrids in grafted sorts and	12—16	4/—	37/—	350/—
different colours with buds	16—24	5/—	47/—	450/—
pontica „Fanny", red flowering . .	48	15/—		
Berberis per 1000				
buxifolia (dulcis) nana 225/—	4—6	4 d	3/—	25/—
270/—	6—8	5 d	3/6	30/—
300/—	8—12	6 d	4/—	35/—
stenophylla		1/7	16/—	
Buxus				
sempervirens (arborescens)				
bushes with balls **broad** per 1000				
„ „ „ 6—8 600/—	8—12	9 d	7/6	70/—
„ „ „ 6—10 1100/—	12—16	1/4	12 6	120/—
„ „ „ 8—12 2000/—	16—20	2/6	22/6	220/—
extra broad bushes 3000/—	20—24	3/6	34/—	330/—
—	24—28	5/6	51/—	500/—
—	28—32	7/6	71/—	700/—
Cut globes	8—10	2/—	18/—	175/—
	10—12	2/9	26/—	250/—
	12—14	3/6	34/—	325/—
	14—16	5/—	47/—	450/—
	16—20	6/6	62/—	600/—
	20—24	9/—	85/—	800/—
diameter	24—28	15/—	140/—	
Standards 12—16 ins	12—16	6/—	55/—	
12—16 ins	16—20	7/—	65/—	
16—20 ins	16—20	7/6	70/—	
16—20 ins	20—24	10/—	95/—	

EVERGREEN PLANTS

	Height in ins	each sh	per 10 sh	per 100 sh
Buxus sempervirens (arboresc.)				
cut pyramids	12—16	1/9	16/—	150/—
	16—20	3/4	31/—	300/—
	20—24	4/6	42/—	400/—
	24—28	6/6	62/—	600/—
	28—32	7/6	72/—	700/—
	32—36	9/—	87/—	850/—
	36—40	11/—	105/—	1000/—
	40—48	13/—	125/—	1200/—
	48—56	16/—	150/—	1400/—
sempervirens Handsworthy	8—12	1/—	9/6	90/—
	12—16	1/7	15/—	140/—
japonica aurea	12—14	4/6	40/—	
	16—24	5/6	50/—	
Cotoneaster				
Franchetii, horizontalis, microphylla, Simonsi,	see „Ornamental Trees and Shrubs"			
Daphne				
Cneorum, Mezereum album, Mezereum rubrum,	see „Ornamental Trees and Shrubs"			
Enkianthus campanulatus	20—24	2/6	22/—	
Erica (Calluna)				
herbacea (carnea) and other sorts		7 d	6/—	55/—
Evonymus radicans		6 d	4/6	40/—
Ilex				
aquifolium	16—24	3/—	26/—	250/—
	24—32	4/—	37/—	350/—
	32—40	5/6	52/—	500/—
	40—50	7/—	67/—	650/—
	50—60	8/6	83/—	800/—
	60—70	17/—	160/—	1500/—
aquifolium camelliaefolia	50—60	10/—		
aquifol. pyramidale (latifolia)	16—24	3/—	26/—	250/—
	24—32	4/—	37/—	350/—
	32—40	5/6	52/—	500/—
	40—50	7/—	67/—	650/—
	50—60	8/6	83/—	800/—
	60—70	17/—	160/—	1500/—
Perado	50—60	10/—		
yellow-variegated	8—12	3/—	27/—	
	12—16	3/6	32/—	
white-variegated	12—20	3/6	30/—	
Kalmia latifolia	16—24	5/—	45/—	400/—
Ligustrum in sorts see „Ornamental Trees and Shrubs".				
Lonicera pileata	24—32	9 d	7/—	65/—
Magnolia, see page 29				
Mahonia per 1000				
aquifolia, bushes with balls. 500/—	12—16	7 d	5/8	55/—
Without balls and younger 650/—	16—20	9 d	7/3	70/—
plants see page 57 900/—	20—24	1/2	11/—	100/—
japonica	24—32	3/6		

EVERGREEN PLANTS

	Height in ins	each sh	per 10 sh	per 100 sh
Rhododendron				
Available sorts:				
Catawbiense grandiflora,	12—16	3/6	34/—	325/—
album elegans,	16—20	4/6	44/—	425/—
album grandiflorum,	20—24	5/6	52/—	500/—
Blanche superba,	24—28	8/—	77/—	750/—
Caractacus,	28—32	12/—	110/—	1000/—
Catawbiense alba,	32—40	17/—	160/—	1500/—
Charles Bagley,				
Cunninghami,				
Cynthia,				
Delicatissimum,				
Edward S. Rand,				
Everestianum,				
Fastuosum fl. pl.				
F. D. Godman,				
Gomer Waterer,				
Ignatius Sargent,				
John Walter,				
Kettledrum,				
Lady Clermont,				
Mad. Carvalho,				
Mrs. John Waterer,				
Parssons grandiflorum,				
Prince Camille de Rohan,				
Purpureum grandiflora,				
Roseum elegans,				
Scipio				
ponticum	8—12	1/6	12/—	100/—
	12—16	1/9	16/—	150/—
praecox	12—20	4/6	40/—	
punctatum		4/—	35/—	
Defect plants in sorts, suitable for close planting.	12—16	1/9	16/—	150/—
	16—20	2/—	19/—	180/—
	20—24	2/6	24/—	225/—
	24—28	3/6	32/—	300/—
	28—32	4/—	37/—	350/—
Skimmia japonica	8—12	3/—	28/—	
Teucrium chamaedrys, see page 42				
Viburnum rhytadophyllum see page 35				
Vinca major / „ **minor** see page 43				

Standard-Trees

Available sorts	circuit in mm	each sh	per 10 sh	per 100 sh
Acer				
campestre	80—100	5/6	52/—	500/—
	100—120	6/6	63/—	600/—
dasycarpum	60—80	2/4	21/—	200/—
	80—100	3/6	32/—	300/—
	100—120	5/—	48/—	450/—
Negundo	80—100	3/6	32/—	300/—
	100—120	5/—	48/—	450/—
Negundo fol. arg. var.	70—90	4/6	42/—	400/—
Negundo Odessanum	70—90	4/6	42/—	400/—
heigt of th stems 64—72 ins				
platanoides	60—80	2/4	21/—	200/—
	80—100	3/6	31/—	300/—
	100—120	5/—	48/—	450/—
	120—140	7/—	68/—	650/—
plat. globosum	70—80	5/6	52/—	500/—
	80—100	7/—	68/—	650/—
plat. Schwedleri	70—80	5/6	52/—	500/—
	80—100	7/—	68/—	650/—
	100—120	8/4	80/—	750/—
pseudoplatanus	70—80	2/4	21/—	200/—
	80—100	3/6	32/—	300/—
	100—120	5/—	48/—	450/—
	120—140	7/—	68/—	650/—
pseudoplatanus Leopoldi	100—120	7/6	70/—	
heigt of the stems 68 ins				
pseudoplat. purpurescens	80—100	4/6	42/—	400/—
	100—120	5/6	52/—	500/—
Aesculus				
hippocastanum	80—100	5/—	48/—	450/—
	100—120	6/6	63/—	600/—
hipp. floro pleno	120—140	15/—		
rubicunda	70—80	8/—	77/—	750/—
	80—100	10/—	95/—	900/—
	100—120	11/—	105/—	1000/—
Ailanthus glandulosa	100—120	7/6	70/—	
Betula				
alba	60—80	2/3	21/—	200/—
	80—100	3/4	32/—	300/—
	100—120	4/6	42/—	400/—
	120—140	5/6	53/—	500/—
alba verrucosa	60—80	2/9	26/—	250/—
	80—100	4/3	40/—	375/—
	100—120	5/6	52/—	500/—
Castanea vesca	80—100	3/9	35/—	
	80—100	6/6	62/—	600/—
Catalpa				
Bungi	100—120	7/6	72/—	700/—
syringaefolia (bignonioides)	80—100	7/6	72/—	700/—
Corylus avellana				
height of the stems about 64 ins	60—80	1/9	15/—	
Corylus				
avellana atropurpurea	60—80	5/—	45/—	
height of the stems about 64 ins				
colurna	80—100	10/—	95/—	900/—
Crataegus				
Carrieri	70—80	4/6	42/—	400/—
	80—100	5/6	52/—	500/—

STANDARD-TREES

Available sorts	circuit in mm	each sh	per 10 sh	per 100 sh
Crataegus				
monogyna fl. albo pleno	70—90	5/6	52/—	500/—
monogyna fl. kermesina pl.	60—80	2/9	26/—	250/—
	70—90	3/3	30/—	280/—
	80—100	3/9	36/—	350/—
Fagus				
sylv. purpurea	70—80	13/—	120/—	
	80—100	15/—	140/—	
Fraxinus excelsior	60—80	1/9	16/—	150/—
	80—100	2/9	26/—	250/—
	100—120	3/4	32/—	300/—
	120—140	4/6	42/—	400/—
excelsior aurea	80—100	5/9	55/—	
	100—120	6/9	65/—	
excelsior globosa	80—100	5/—	47/—	450/—
	100—120	6/—	57/—	550/—
Juglans regia	80—100	5/6	50/—	480/—
	100—120	6/6	60/—	550/—
Laburnum				
Adamii	70—90	5/—	45/—	
vulgare	70—90	4/—	37/—	350/—
Platanus orientalis (acerifolia)	70—80	6/6	62/—	600/—
	80—100	7/6	72/—	700/—
	100—120	10/—	95/—	900/—
Populus alba nivea	80—100	2/9	26/—	250/—
	100—120	4/—	37/—	350/—
balsamifera	80—100	2/3	21/—	200/—
	100—120	2/9	26/—	250/—
	120—140	3/9	36/—	350/—
berolinensis	80—100	2/9	26/—	250/—
	100—120	3/9	36/—	350/—
	120—140	5/6	52/—	500/—
canadensis	70—80	1/3	11/—	100/—
	80—100	1/9	16/—	150/—
	100—120	2/3	21/—	200/—
	120—140	3/6	31/—	300/—
	140—160	4/6	42/—	400/—
nigra fastigiata	70—80	1/8	16/—	150/—
	80—100	2/9	26/—	250/—
	100—120	3/9	36/—	350/—
	120—140	5/6	52/—	500/—
Prunus				
japonica fl. alba and rosea pl.	70—80	5/—	47/—	
Pissardi	70—90	3/—	29/—	270/—
serrulata Hisakura	70—90	5/—	47/—	450/—
Quercus				
pedunculata	70—80	6/—	57/—	550/—
	80—100	7/6	72/—	700/—
	100—120	8/6	82/—	800/—
rubra	70—80	4/—	37/—	350/—
	80—100	5/6	52/—	500/—
Robinia	100—120	7/9	74/—	700/—
hispida rosea	70—90	6/—		
Pseudoacacia	70—80	2/9	26/—	240/—
	80—100	3/6	32/—	300/—
	100—120	4/6	42/—	400/—
Pseudoacacia Bessoniana	70—80	3/—	29/—	280/—
	80—100	4/—	38/—	360/—
	100—120	5/—	48/—	450/—

STANDARD-TREES

	circuit in mm	each sh	per 10 sh	per 100 sh
Robinia				
Pseudoacacia inermis	70—80	3/—	29/—	280/—
	80—100	4/6	42/—	400/—
Sorbus				
aria lutescens	80—100	5/—	48/—	450/—
	120—140	7/—	65/—	
aucuparia	80—100	2/9	26/—	250/—
	100—120	4/—	38/—	360/—
fructo dulcis (moravica)	80—100	3/4	31/—	300/—
	100—120	4/6	42/—	400/—
scandica	70—80	1/9	16/—	150/—
	80—100	2/9	26/—	250/—
	100—120	4/—	38/—	360/—
Tilia				
americana megalodonta	80—100	7/6	72/—	700/—
	100—120	10/—	95/—	900/—
euchlora	80—100	8/6	82/—	800/—
	100—120	12/—	110/—	1000/—
grandifolia (platiphyllos)	70—80	4/—	37/—	350/—
	80—100	5 6	52/—	500/—
	100—120	7/6	72/—	700/—
intermedia	70—80	5/6	52/—	500/—
	80—100	7/6	72/—	700/—
	100—120	10/—	95/—	900/—
parvifolia	70—80	5/—	47/—	450/—
	80—100	7/—	67/—	650/—
	100—120	8/6	82/—	800/—
tomentosa (argentea)	70—80	9/—	85/—	800/—
	80—100	11/—	105/—	1000/—
	100—120	13/—	125/—	1200/—
Ulmus				
campestre	70—80	2/—	19/—	180/—
	80—100	2/9	26/—	250/—
	100—120	4/—	38/—	360/—
camp. Louis van Houtte	80—100	4/6	42/—	
camp. monumentalis (Wheatleyi)	80—100	4/—	37/—	350/—
	100—120	5/—	47/—	450/—
camp. pyramidalis Hörsholmi	70—80	2/9	26/—	250/—
	80—100	4/—	37/—	350/—
	100—120	5/—	47/—	450/—
camp. Rueppelii	80—100	4/6	42/—	400/—
	100—120	5/6	52/—	500/—
camp. umbraculifera	80—100	4/6	42/—	400/—
	100—120	5/6	52/—	500/—
hollandica	70—80	2/—	19/—	180/—
	80—100	2/9	26/—	250/—
montana	80—100	2/9	26/—	250/—
mont. fast. Dampieri Wredei height of the stems 64—72 ins	80—100	4/6	42/—	
montana Pitteursi	70—80	2/—	19/—	180/—
	80—100	2/9	26/—	250/—
	100—120	4/—	38/—	350/—
	120—140	5/—	48/—	450/—
vegeta	70—80	2/—	19/—	180/—
	80—100	2/9	26/—	250/—
	100—120	4/—	38/—	350/—
	120—140	5/—	48/—	450/—

Wheeping-Trees

	circuit in mm	easch sh	per 10 sh	per 100 sh
Betula alba pendula Youngi				
Standards	70—80	7/—	65/—	600/—
"	80—100	8/—	75/—	
Bushes 40—60 ins high		2/6	20/—	
" 60—80 " "		3/6	30/—	
" 80—100 " "		4/6	40/—	
Caragana arborescens pendula				
Standards	70—90	5/5	50/—	
Fagus sylvatica pendula				
Pyramids 50—60 ins high		8/—	75/—	
" 60—70 "		10/—	90/—	
" 70—80 "		15/—	140/—	
" 80—100 "		20/—	190/—	
" 100—120 "		25/—	230/—	
sylvatica purpurea pendula				
Pyramids 32—40 ins high		6/—	55/—	
" 40—50 "		7/6	70/—	
" 50—60 "		9/—	85/—	
Fraxinus excelsior pendula				
Standards	80—100	3/4	32/—	300/—
"	100—120	4/6	42/—	400/—
Malus Elise Rathke, Standards . .		5/—	45/—	
Pirus salicifolius, Half-Standards . .		3/—	25/—	
Prunus serrulata Shidare Sakura				
Standards	70—90	5/—	47/—	450/—
Salix alba vitellina pendula nova				
Standards	70—80	3/3	30/—	290/—
"	80—100	4/—	37/—	350/—
"	100—120	5/—	47/—	450/—
Bushes 60—80 ins high		10 d	8/6	80/—
" 80—100 "		1/9	16/—	150/—
" 100—120 "		2/3	21/—	200/—
" 120—160 "		3/6	32/—	300/—
atrovirens (purpurea) pendula				
Standards	80—100	4/6	40/—	
caprea pendula, Standards	80—100	3/9	35/—	330/—
"	100—120	4/6	42/—	400/—
Ulmus montana pendula, Standards	80—100	4/6	42/	400/—
"	100—120	5/6	52/—	500/—

Climbing Plants

	each sh	per 10 sh	per 100 sh
Actinidia polygama	2/—	18/—	
Ampelopsis			
Engelmanni	6 d	4/6	40/—
quinquefolia (hederacea), per 1000			
uptied plants with 3—5 shoots 270/—	5 d	3/6	30/—
„ 5—8 „ 450/—	7 d	5/6	50/—
„ 8—12 „	9 d	6/6	60/—
Veitchi, plants with potballs lyr. graftings	9 d	6/6	60/—
2yrs. outdoor plants I. quality	9 d	7/—	65/—
2yrs. „ „ middle quality	7 d	5/—	45/—
Veitchi magnifica, plants with potballs, lyr. graftings	9 d	7/—	65/—
Veitchi Rouley, plants with potballs, lyr. graftings	9 d	7/—	65/—
2yrs. outdoor plants	10 d	7/6	70/—
Aristolochia Sipho	1/9	16/—	150/—
Clematis in sorts			
stout outdoor plants	1/9	17/—	160/—
lyr. graftings with potballs	1/6	14/—	130/—
Jackmanni, stout outdoor plants	2/—	19/—	175/—
lyr. graftings with potballs	1/7	15/—	140/—
montana rubens	1/9	17/—	160/—
tangutica	1/7	16/—	150/—
vitalba	1/—	9/—	80/—
viticella	1/4	13/—	120/—
Hedera			
arborea	1/9	16/—	
helix 16—24 ins	10 d	8/6	80/—
24—32 ins	1/2	11/—	100/—
hibernica 24—32 ins	1/9	16/—	150/—
Lonicera (Caprifolium)			
Caprifolium	1/—	9/6	90/—
fuchsioides	3/—	28/—	
Periploca graeca	2/—	18/—	
Polygonum			
Auberti	1/9	17/—	160/—
baldschuanicum	1/9	17/—	160/—
Climbing-Roses, see „Roses" page 11			
Tecoma (Bignonia)			
grandiflora	2/—	18/—	
grandifl. Mme. Galen	2/—	18/—	
radicans	2/—	18/—	
Vitis odoratissima	1/9	16/—	150/—
Wistaria (Glycine)			
chinensis	2/9	26/—	250/—

Apple and Pear Stocks 2 yrs. transplanted



Apple Stocks 2yrs. transplanted (3—4 ft. high)



Abies arizona

Below:
Field with 100000
Prunus avium 1yr.
Seedlings in our
nurseries 1930

Forest-Trees

S. = Seedling, C. = Cutting, tr. = transplanted, r. = rooted

For not mentioned subjects see also „Young Ornamental Trees and Shrubs"

	Age	Height in ins	per 100 sh	per 1000 sh	per 10000 sh
Acer					
campestre	1yr.S.	4—8	1/6	10/—	90/—
	1yr S.	8—16	2/—	16/—	150/—
	2yrs.tr.	16—26	5/—	40/—	380/—
	3yrs tr.	26—40	7/6	60/—	570/—
	3yrs.tr.	40 - 56	12/—	100/—	900/—
platanoides	1yr S.	4—8	1/6	10/—	90/—
	1yr.S.	8—16	2/—	15/—	140/—
	1yr.S.	16—24	3/—	25/—	240/—
	2yrs.tr.	16—26	5/—	40/—	380/—
	3yrs.tr.	26—40	8/—	70/—	650/—
	3yrs.tr.	40 56	12/—	100/—	950/—
pseudoplatanus	1yr.S.	4—8	1/—	8/—	70/—
	1yr.S.	8—16	1/6	12/—	100/—
	2yrs.tr.	16—26	5/—	40/—	380/—
	3yrs.tr.	26—40	10/—	75/—	700/—
	3yrs.tr.	40—56	14/—	110/—	1000/—
Alnus					
glutinosa	1yr.S.	4—8	1/—	8/—	75/—
	1yr.S.	8—16	1/6	12/—	100/—
	2yrs.tr.	26—40	5/—	35/—	320/—
	2yrs.tr.	40—56	7/—	50/—	450/—
incana	1yr.S.	4—8	1/—	9/—	80/—
	1yr.S.	8—16	1/6	12/—	100/—
	2yrs.tr.	26—40	4/—	35/—	320/—
	2yrs.tr.	40—56	6/—	50/—	450/—
Betula					
alba	1yr.S.	4—8	1/—	8/—	75/—
	2yrs.S.	8—16	1/6	12/—	110/—
	2yrs.S.	16—26	2/6	20/—	180/—
	2yrs.S.	26—40	3/6	30/—	280/—
	2yrs.tr.	16—26	3/—	25/—	240/—
	2yrs tr.	26—40	5/—	40/—	420/—
verrucosa see page 55					
Caragana arborescens see page 55					
Carpinus betulus	1yr.S.	2—4	9 d	5/—	45/—
	1yr.S.	4—10	1/6	10/—	90/—
	2yrs.tr.	8—16	4/6	35/—	330/—
	3yrs.tr.	16—26	7/—	60/—	570/—
	3yrs.tr.	26—40	9/—	80/—	750/—
	3yrs.tr.	40—56	16/—	140/—	1330/—
Corylus Avellana see page 55					

	Age	Height in ins	per 100 sh	per 1000 sh	per 10000 sh
Crataegus monogyna	1yr.S.	4—8	1/—	7/—	65/—
	1yr.S.	6—12	1/5	10/—	90/—
	1yr.S.	8—16	1/6	12/—	100/—
	1yr.S.	12—14	2/2	16/—	150/—
4—6 mm diametre	2yrs S.		2/2	16/—	150/—
6—9 „ „	3yrs.S.		3/5	24/—	220/—
9—12 „ „	3yrs.S.		4/—	32/—	300/—
4—6 „ „	2yrs.tr.	16—24	3/—	20/—	190/—
6 9 „ „	3yrs.tr.	24—32	4/—	30/—	285/—
9—12 „ „	4yrs.tr.	32—40	5/—	38/—	350/—
12—14 „ „	4yrs.tr.	32 - 40	6/—	50/—	
Cydonia japonica Maulei see page 26					
Fagus					
sylvatica per 100000 1380/—	2yrs.S.	6 - 12	1/9	12/—	150/—
„ „ 1460/—	2yrs.S.	8—16	2/—	16/—	155/—
„ „ 1800/—	2yrs.S.	10 - 20	2/8	20/—	190/—
„ „ 2260/	2yrs.S.	12 - 24	2/—	24/—	230/—
„ „ 2000/—	3yrs.tr.	12—20	5/—	40/—	380/—
„ „ 6800/—	3yrs.tr.	20 32	9/—	75/—	720/—
	4yrs.tr.	32—40	19/—	170/—	1600/—
	4yrs.tr.	40—48	25/—	230/—	2200/—
sylv. purpurea see page 57					
Fraxinus					
alba	1yr.S.	2—4	1/—	6/—	55/—
excelsior	1yr.S.	4 - 8	1/6	11/—	100/—
pubescens	2yrs.S.	16 - 26	3/6	32/—	310/—
	2yrs.S.	26 - 40	5/6	52/—	500/—
	3yrs.tr.	26—40	7/6	70/—	650/—
	3yrs.tr	40—56	15/—	120/—	1100/—
	4yrs.tr.	56—72	20/—	180/—	1700/—
	4yrs.tr.	72—88	30/—	250/—	2300/—
Juglans regia see page 57					
Laburnum vulgare see page 57					
Ligustrum ovalifolium and vulgare see page 38					
Mahonia aquifolia see page 57					
Morus alba see page 58					
Populus		26—40	7/—	50/—	450/—
canadensis (monolifera) .		40 - 56	10/—	80/—	750/—
nigra		56—72	14/—	120/—	1100/—
nigra fastigiata see page 58					
Prunus serotina see page 58					
Quercus					
palustris	2yrs.tr.	8—16	17/—	150/—	
pedunculata (robur)	1yr.S.	3 8	1/6	10/—	90/—
	1yr.S.	4—10	2/—	14/—	130/—
	2yrs.S.	8—16	2/6	22/—	210/—
	2yrs.S.	16—26	4/6	40/—	380/—
	3yrs.tr.	8—16	3/6	30/—	280/—
	3yrs.tr.	16—26	6/6	60/—	580/—
	4yrs.tr.	26—40	12/—	100/—	950/—
	4yrs.tr.	40—56	25/—	200/—	1700/—
	4yrs.tr.	56 72	35/—	300/—	2500/—

FOREST-TREES

	Age	Height in ins	per 100 sh	per 1000 sh	per 10000 sh
Quercus					
rubra	1yr.S.	4—8	1/6	12/—	100/—
	2yrs.tr.	8—16	3/6	32/—	300/—
	3yrs.tr	16—26	7/—	65/—	600/—
	3yrs.tr.	26 - 40	12/—	100/—	900/—
	4yrs.tr.	40 - 56	21/—	190/—	1700/—
sessiliflora	1yr.S.	3—8	2/—	14/—	130/—
	2yrs.S.	8 - 16	5/—	40/—	350/—
	3yrs.tr.	16 26	10/—	80/—	750/—
	3yrs.tr.	26 – 40	15/—	130/—	1200/—
Robinia Pseudoacacia	1yr.S.	8—16	2/—	15/—	130/—
	1yr.S.	16—24	2/6	22/—	200/—
	1yr.S.	24—40	3/6	30/—	280/—
	2yrs.tr.	16—26	4/6	40/—	380/—
	2yrs.tr.	26—40	6/6	60/—	580/—
	2yrs.tr.	40—56	10/—	90/—	850/—
Sorbus					
aucuparia	1yr.S.	2—4	1/—	8/—	70/—
	1yr.S.	4 - 8	1/6	12/—	100/—
	2yrs.tr.	8—16	4/—	35/—	300/—
	2yrs.tr.	16—26	7/—	60/—	550/—
	3yrs.tr.	26—40	9/—	80/—	750/—
scandica	1yr.S.	2—4	2/—	15/—	130/—
	1yr.S.	4—8	3/—	20/—	180/—
	2yrs.tr.	16 26	7/—	60/—	550/—
	3yrs.tr.	26—40	10/—	80/—	750/—
	3yrs.tr.	40 – 56	15/—	120/—	1000/—
Tilia					
grandifolia	1yr S.	4—8	3/—	25/—	235/—
	1yr.S.	8—16	5/—	40/—	380/—
	tr.	6—12	6/—	50/—	470/—
	tr.	12—20	10/—	80/—	760/—
	tr.	20—32	15/—	130/—	1240/—
	tr.	32—48	25/—	220/—	2000/ -
parvifolia	1yr.S.	4—8	2/5	20/—	190/—
	1yr.S.	8—16	4/—	30/—	285/—
	tr.	6—12	5/—	35/—	330/—
	tr.	12—20	8/—	60/—	570/—
	tr.	20—32	12/—	110/—	1040/—
	tr.	32—48	20/—	170/—	1600/—
Ulmus					
campestre	1yr.S.	4—8	2/—	15/	120/—
	3yrs.tr.	16—26	7/—	50/—	450/—
	3yrs.tr.	26—40	10/—	70/—	650/—
	3yrs.tr.	40—56	15/—	100/—	900/—
montana	1yr.S.	4—8	2/—	15/—	120/—
	3yrs.tr.	16—26	7/—	50/—	450/—
	3yrs.tr.	26—40	10/—	70/—	650/ —
	3yrs.tr.	40—56	15/—	100/—	900/—

Young Ornamental Trees and Shrubs for further Culture

Large quantities. A speciality.

L. = Layers, r. = rooted, S. = Seedling, C. = Cutting, G. = Grafting, tr. = transplanted

Orders less than 50 of one variety will be charged 25 % more.
No supply of less than 10 of one variety.

	Age	Height in ins	per 100 sh	per 1000 sh
Acer campestre, see „Forest Trees" page 51				
dasycarpum	1yr. S.	4—8	4/—	30/—
	1yr. S.	8—16	6/—	50/—
ginnala	1yr. S.	2—6	3/6	25/—
	1yr. S.	6—12	5/—	40/—
	2yrs.tr.S.	12—24	11/—	100/—
Negundo	1yr. S.	8—16	2/—	16/—
	2yrs.tr.S.	16—26	5/—	40/—
	2yrs.tr.S.	26—40	7/—	60/—
palmatum	1yr. S.	6—12	7/—	60/—
	2yrs.tr.S.	12—20	12/—	100/—
platanoides and **pseudoplatanus** see „Forest-Trees" page 51				
pseudoplatanus purpurescens	1yr. S.	6—12	4/—	35/—
	2yrs.tr.S.	16—26	13/—	120/—
Aesculus hippocastanum	1yr. S.	4—10	4/—	30/—
	3yrs.tr.S.	12—24	10/—	90/—
Ailanthus glandulosa	1yr. S.		3/—	25/—
Alnus glutinosa and **incana,** see „Forest Trees" page 51				
Amorpha fruticosa	1yr. S.	8—20	3/—	20/—
Aristolochia Sipho	1yr. S.		12/—	100/—
	3yrs.tr.S.	16—28	50/—	
Azalea mollis	2yrs.S.		6/—	50/—
	3yrs.tr.S.	6—12	45/—	400/—
Berberis aggregata	1yr. S.		5/—	40/—
brachypoda	1yr. S.		4/—	30/—
brevipaniculata	1yr. S.		4/6	35/—
buxifolia (dulcis) nana	2yrs.tr.C.		11/—	100/—
caroliniana	1yr. S.		4/6	35/—
glaucescens	1yr. S.		4/—	30/—
Guimpeli	1yr. S.		4/6	35/—
Jamesonii	1yr. S.		4/6	35/—
polyantha	1yr. S.		4/6	35/—
ruscifolia	1yr. S.		3/—	20/—
sinensis	1yr. S.		4/—	30/—
spathulata	1yr. S.		3/—	20/—
stenophylla	2yrs.tr.S.		20/—	
Thunbergi	1yr. S.	4—10	2/—	15/—
	2yrs.tr.S.	6—12	8/—	70/—
Thunbergi atropurpurea	1yr. S.		25/—	225/—
	2yrs.tr.C.		50/—	
Thunbergi Maximowiczii	1yr. S.		4/6	35/—
virescens	1yr. S.		4/6	35/—
vulgaris	1yr. S.	4—8	2/—	15/—
	2yrs.tr.S.	8—16	4/—	30/—
	3yrs.tr.S.	16—24	7/—	60/—

	Age	Height in ins	per 100 sh	per 1000 sh
Berberis				
vulg. atropurpurea	1yr. S.	6	4/—	30/—
	2yrs tr.S.	8—16	8/—	75/—
	3yrs.tr.S.	16—26	13/—	120/—
Betula alba, see „Forest Trees" page 51				
lenta, lutea, papyracea, populifolia	2yrs. S.	8—16	3/—	25/—
	2yrs. S.	16—26	5/5	45/—
	2yrs. S.	26—40	7/—	65/—
verrucosa	2yrs. S.	8—16	3/—	25/—
	2yrs. S.	16—26	5/6	45/—
	2yrs. S.	26—40	7/—	65/—
Buddleia variabilis	1yr.r.C.		10/—	
var. Veitchiana	1yr.r.C.		10/—	
Buxus sempervirens (arborescens)	2yrs tr.C.	3—5	6/—	50/—
	3yrs.tr.C.	4—6	16/—	140/—
	4yrs.tr C.	6—8	22/—	200/—
	s. t. tr.	8—12	35/—	300/—
Calycanthus floridus	1yr. S.	8—16	20/—	180/—
	3yrs.tr.S.	8—16	50/—	
Caragana arborescens	1yr. S.	4—8	2/—	18/—
	1yr. S	8—16	3/—	25/—
	2yrs.tr.S.	16—26	5/—	40/—
	2yrs.tr.S.	26—40	7/—	60/—
Carpinus betulus, see „Forest Trees" page 51				
Castanea vesca	1yr. S.	4—8	8/—	70/—
	2yrs.tr.S.	8—16	10/—	90/—
	3yrs.tr.S	16—26	18/—	150/—
Ceanothus americanus	1yr. S.	6—8	5/—	40/—
Clematis vitalba	1yr. S.		3/—	20/—
Colutea arborescens	1yr. S.	12—24	3/—	20/—
	1yr. S.	24—40	5/—	40/—
	2yrs.tr.S.		6/—	50/—
Cornus alba	1yr. S.	4—8	3/—	25/—
	2yrs.tr.S.	8—16	5/—	40/—
	2yrs tr.S.	16—24	6/—	50/—
	1yr.r C.	12—24	6/—	50/—
alba flaviramea	2yrs.tr.C.	16—26	12/—	100/—
	3yrs.tr.C.	20—28	15/—	120/—
alba fol. arg. marg.	2yrs. L.	12—24	15/—	
alba Späthi	2yrs. L.		15/—	
mascula	1yr. S.	4—8	6/—	50/—
	1yr. S.	8—14	8/—	70/—
	2yrs.tr.S.	6—12	9/—	80/—
	2yrs.tr.S.	12—20	11/—	100/—
	3yrs.tr.S.	20—32	14/—	125/—
sanguinea	1yr. S.		4/—	30/—
	3yrs.tr.S.	20—32	10/—	90/—
tatarica sibirica	2yrs.tr.C.		16/—	150/—
Corylus avellana	1yr. S.	4—8	4/6	35/—
	1yr. S.	8—16	6/—	50/—
	2yrs. S.	8—16	7/—	60/—
	2yrs. S.	16—26	9/—	85/—
	3yrs. tr.	16—26	12/—	100/—
	3yrs tr.	26—40	16/—	140/—
	4yrs. tr.	40—56	20/—	180/—
avellana atropurpurea	2yrs. L.		40/—	

YOUNG ORNAMENTAL TREES AND SHRUBS FOR FURTHER CULTURE

	Age	Height in ins	per 100 sh	per 1000 sh
Corylus				
colurna	1yr. S.		12/—	100/—
	3yrs.tr.S.	16—26	35/—	300/—
	3yrs.tr.S.	26—40	50/—	450/—
	3yrs tr.S.	40—56	80/—	750/—
Cotoneaster acutifolia	1yr. S.		9/—	80/—
applanata	1yr. S.		5/—	40/—
	2yrs.tr.S.		9/—	80/—
bullata	1yr. S.		5/—	40/—
	2yrs tr.S.		9/—	80/—
Franchetii	1yr. S.		9/	80/—
	2yrs tr.S.		15/—	140/—
horicontalis	1yr. S.		7/—	60/—
	2yrs.tr.S.		9/—	80/—
	2yrs.tr.C.	4—8	12/—	100/—
	3yrs tr.C.		20/—	180/—
moupinensis	1yr. S.		5/—	40/—
	2yrs.tr.S.	8—16	9/—	80/—
multiflora	2yrs.tr.C.		13/—	125/—
nitens	2yrs tr.C		13/—	125/—
	3yrs.tr.C.		16/—	150/—
praecox	2yrs.tr.C.		30/—	270/—
	3yrs.tr.C.		40/—	360/—
prostata	2yrs.tr.C.		12/—	100/—
	3yrs.tr.C.		18/—	170/—
Simonsii	1yr. S.		4/—	35/—
	2yrs.tr.C		10/—	90/—
	3yrs.tr.C.		15/—	
Zabelii	1yr.r.C.		7/—	60/—
Crataegus coccinea	1yr. S.	4—8	12/—	100/—
	3yrs.tr.S.	12—20	18/—	160/—
	3yrs.tr.S.	20—32	22/—	200/—
monogyna, see page 52				
Cydonia japonica Maulei				
per 10000 100/—	1yr. S.	4—8	2/—	12/—
" " 170/—	1yr. S.	8—16	2/6	18/—
" " 380/—	2yrs.tr S.	10—20	5/—	40/—
" " 550/—	3yrs.tr.S.	16—28	7/—	60/—
Daphne Mezereum	1yr. S.		20/—	180/—
Deutzia crenata fl. pl., cren. candidissima, cren. Pride of Rochester, hybr. Watereri, hybr. Welsi,	1yr. r.C.	16—28	8/—	70/—
gracilis	2yrs.tr.C.	6—12	10/—	90/—
	3yrs.tr C.		16/—	150/—
Diervilla (Weigelia) in sorts	2yrs.tr.C.	16—24	16/—	150/—
hybr. Eva Rathke	2yrs.tr.C.	10—20	30/—	270/—
Elaeagnus angustifolia	1yr. S.		10/—	90/—
Evonymus europaea	1yr. S.		10/—	90/—
	3yrs.tr.S.	12—20	13/—	120/—
	3yrs.tr.S.	20—32	17/—	150/—
radicans	2yrs.tr.C.		10/—	80/—
radicans fol. arg. marg.	2yrs.tr C.		10/—	80/—
Exochorda grandiflora	1yr. S.	8—16	15/—	
	2yrs.tr.S.		25/—	

	Age	Height in ins	per 100 sh	per 1000 sh
Fagus sylvatica, see „Forest Trees" page 52				
sylv. atropurpurea Swat Margret	2yrs.G.	20—28	150/—	
sylvatica purpurea	2yrs.tr.S.	12—20	35/—	300/—
	3yrs.tr.S.	20—32	55/—	500/—
Forsythia intermedia, intermedia densiflora, viridissima	2yrs.tr.C.		12/—	100/—
suspensa, susp. Fortunei, susp. Sieboldii	2yrs tr.C.		20/—	180/—
Fraxinus alba, excelsior pubescens see „Forest Trees" page 52				
Genista in sorts	2yrs G.		35/—	
tinctoria	1yr. S.		7/—	60/—
Gleditscha triacanthos	1yr. S.	8—16	5/—	40/—
	1yr. S.	16—26	7/—	60/—
Hippophae rhamnoides	2yrs.S.	6—12	5/—	40/—
Hydrangea pan. grandiflora	1yr. S.	8—16	12/—	100/—
	3yrs.tr.C.		15/—	140/—
Ilex aquifolium	1yr.S.		7/—	60/—
	2yrs.S.		14/—	120/—
	3yrs tr.S.		22/—	200/—
Jasminum nudiflorum	1yr.C.		15/—	
Juglans regia	1yr.S.	6—12	14/—	120/—
	3yrs.tr.S.	12—24	25/—	230/—
Kerria japonica	2yrs.tr.C.	8—12	12/—	100/—
jap. fl. pl.	2yrs.tr.C.	12—16	20/—	180/—
Laburnum alpinum	1yr.S.	6—12	7/—	60/—
vulgare	1yr.S.	4—8	2/6	20/—
	1yr.S.	8—16	4/—	30/—
	2yrs.tr.S.	16—26	7/—	60/—
	2yrs.tr S.	26—40	10/—	90/—
	2yrs.tr.S.	40—56	13/—	120/—
Ligustrum Ibota	2yrs.r.C.		10/—	80/—
Lodense	1yr. r.C.	4—8	12/—	100/—
ovalifolium, see page 38				
vulgare, see page 38				
vulg. atrovirens	1yr. r.C.	5—10	10/—	80/—
	2yrs.r.C.	12—20	15/—	140/—
	2yrs.r.C.	20—32	22/—	200/—
Liriodendron tulipifera	1yr.S.		15/—	
Lonicera in sorts: Morrowi, tatarica, tatarica alba, Xylosteum	1yr. r.C.		8/—	70/—
pileata	2yrs.tr.C.	6—10	16/—	150/—
tatarica	1yr.S.		2/6	15/—
Xylosteum	1yr.S.		2/6	15/—
	2yrs tr.S.	20—28	6/—	50/—
	3yrs.tr.S.	32—40	13/—	120/—
Lycium europaeum	1yr.r.C.		15/—	140/—
	per 10000			
Mahonia aquifolia 40/—	1yr.S.		9 d	4/5
130/—	2yrs.S.		2/—	15/—
200/—	2yrs.tr.S.	4—6	3/—	24/—
290/—	2yrs.tr.S.	5—12	4/—	35/—
350/—	3yrs.tr.S.	6—12	5/—	40/—
500/—	3yrs.tr.S.	8—16	7/6	60/—
650/—	4yrs.tr.S.	8—16	10/—	75/—

YOUNG ORNAMENTAL TREES AND SHRUBS FOR FURTHER CULTURE

	Age	Height in ins	per 100 sh	per 1000 sh
Malus, Graftings in sorts	1yr.G.	16—26	35/—	300/—
	1yr.G.	26—40	45/—	400/—
	1yr.G.	40 – 56	55/—	500/—
Morus alba	1yr.S.		3/—	20/—
	2yrs.S.	6 – 12	5/—	40/—
	2yrs.tr.S.		7/—	60/—
Philadelphus Billiardi	1yr.r.C.		8/—	70/—
brachybotris	1yr.r.C.		8/—	70/—
coronarius	1yr.r.C.		14/—	120/—
Falconeri	1yr.r.C.		8/—	70/—
floribundus	1yr.r.C.		8/—	70/ –
Gordonianum	1yr.r.C.	20—28	8/—	70/ –
grandiflorus	1yr.r.C.	16—24	8/—	70/—
inodorus	1yr.r.C.		8/—	70/—
latifolius	1yr.r.C.		8/—	70/—
Lem. albatre	1yr.r.C.		12/—	110/—
Lem. Bouquet blanc	1yr.r.C.		10/—	110/—
Lem. erectus	1yr.r.C.	12—20	10/ –	90/—
	2yrs.tr.C.		12/—	110/—
Lem. Montblanc	1yr.r.C.		12/—	110/—
Lem. Virginal	1yr.r.C.	8—16	20/ –	180/—
	1yr.r.C.	16—26	24/—	220/—
	2yrs.r.C.	16—26	35/—	
pubescens	1yr.r.C.		8/—	70/ –
Satsumi Yokohamae	1yr.r.C.		8/—	70/—
Populus alba Bolleana	1yr.r.C.			
alba nivea	1yr.r.C.	16 – 26	6/—	50/—
	1yr.r.C.	26 – 40	10/—	90/—
Berolinensis	1yr.r.C.	26—40	10/—	90/—
canadensis (monolifera) see „Forest Trees" page 52				
nigra fastigiata (dilatata)	1yr.r.C.	16 – 26	3/6	30/—
	1yr.r.C.	26 – 40	6/—	50/—
	1yr.r.C.	40—56	8/—	70/—
trichocarpa	1yr.r.C.		11/—	
Wilsonii	1yr.r.C.		11/—	
Potentilla fruticosa	2yrs.tr.C.	10—20	9/—	80/—
Prunus Laurocerasus Schipkaensis				
Reynvani	3yrs.tr.C.		40/—	
Padus	1yr.S.	4—8	3/6	30/—
	1yr.S.	8—16	5/—	40/—
	1yr.S.	16 – 24	8/—	70/—
	3yrs.tr.	20—32	13/—	120/—
Pissardi	1yr.G.	40—60	40/—	
Pissardi nigra	1yr.G.		45/—	
serotina	1yr.S.	8—16	2/6	18/—
	1yr.S.	16—24	3/6	25/—
	2yrs.tr.S.	16—26	6/—	50/—
	3yrs.tr.S.	26—40	10/—	80/—
serrulata Hisakura	1yr.G.	16—26	40/—	
spinosa	1yr.S.	6—12	3/—	20/—
	1yr.S.	10 – 20	4/—	30/—
	2yrs.tr.S.	12—20	6/—	50/—
	2yrs.tr.S.	20—32	7/—	60/—
virginiana	1yr.S.		5/—	40/—
Quercus palustris, pedunculata (robur), rubra and sessiliflora see „Forest Trees" page 52				

YOUNG ORNAMENTAL TREES AND SHRUBS FOR FURTHER CULTURE

	Age	Height in ins	per 100 sh	per 1000 sh
Rhamnus cathartica	1yr.S.		5/—	40/—
	2yrs.tr.S.	12—24	12/—	100/—
Frangula	1yr.S.		2/—	15/—
	2yrs.tr.S.	16—24	6/—	50/—
Rhodotypus kerrioides	1yr.S.		7/—	60/—
	2yrs.tr.S.	16—26	10/—	90/—
Rhus Cotinus	1yr.S.		9/—	80/—
	2yrs.tr.S.	12—24	20/—	180/—
typhina	1yr.S.		9/—	80/—
Ribes alpinum	2yrs.tr.C	6—12	16/—	150/—
	2yrs.tr.C.	12—20	22/—	200/—
arboreum (divaricatum)	1yr.r.C.		9/—	80/—
	2yrs.tr.C.	32—48	13/—	120/—
aureum	1yr.r.C.	12—24	10/—	90/—
floridum	1yr.r.C.	12—24	10/—	90/—
Gordonianum	1yr.r.C.		9/—	80/—
sanguineum	1yr r.C.		9/—	80/—
sang. atrorubens	1yr.r.C.		12/—	110/—
Robina Pseudoacacia, see „Forest Trees" page 53				
Rosa Canina, multiflora, Rubiginosa see page 13/14				
lucida	1yr.S.		4/—	30/—
pimpinellifolia	1yr.S.		6/—	50/—
	2yrs.tr.S.	10—12	12/—	100/—
Rubrifolia	1yr S.	8—20	4/—	30/—
	2yrs.tr.S.		8/—	70/—
Rugosa Regeliana & Reg. alba	1yr.S.	4—8	2/6	20/—
	2yrs tr.S.	10—20	8/—	70/—
	3yrs.tr.S.	16 28	15/—	130/—
setigera	1yr.S.		4/—	30/—
	2yrs.tr.S.		12/—	100/—
Salix alba argentea	1yr.r.C	24—40	6/—	50/—
alba vitellina Britzensis	1yr.r.C.	24—40	6/—	50/—
alba vit. pendula nova	1yr.r.C.	16—26	12/—	100/—
caprea	1yr.r.C.		12/—	100/—
daphnoides pomeranica	1yr.r.C.	32—48	6/—	50/—
laurifolia	1yr.r.C.		6/—	50/—
rosmarinifolia	1yr.r.C.	20—28	6/—	50/—
Sambucus canadensis lutea	1yr.r.C.	12 20	12/—	100/—
nigra	1yr.S	12—24	3/—	20/—
racemosa	1yr.S	12—24	5/—	40/—
	1yr.S.	24—40	7/—	60/—
	2yrs.tr.S.	26—40	10/—	90/—
Sorbus aucuparia and scandica, see „Forest Trees" page 53				
Spiraea albiflora (callosa alba)	2yrs.tr.C.	6—12	12/—	100/—
	3yrs.tr.C.	8—12	15/—	135/—
arguta	2yrs.tr.C.	8—16	25/—	220/—
ariaefolia (Holodiscus discolor)	1yr.S.		6/—	50/—
	2yrs.tr.S.	16—24	12/—	100/—

	Age	Height in ins	per 100 sh	per 1000 sh
Spiraea				
Billiardi	1yr.r.C.	12—20	7/—	60/—
Bumalda Anthony Waterer	2yrs.tr.C.	6—12	14/—	120/—
	3yrs.tr.C.		17/—	160/—
callosa Froebeli	2yrs.tr C	8—16	10/—	90/
	3yrs.tr.C.	12—20	12/—	110/—
callosa superba	2yrs tr.C	6—12	12/—	100/—
chamaedryfolia	1yr.r.C	16—24	6/—	50/—
Douglasi	1yr.r.C.	20—32	7/—	60/—
	3yrs.tr.C.	20—32	10/—	80/—
Fontenaysi alba	1yr.r.C.	6—12	7/—	60/—
hypericifolia thalictroides	2yrs.tr.C.	8 16	12/—	100/—
	3yrs.tr.C.	12 -20	15/—	135/—
Menziesii	1yr.r.C.	16—24	7/—	60/—
opulifolia	1yr.r.C.	24—32	7/ -	60/—
opulifolia lutea	1yr.r.C.	10—20	8/—	70/—
prunifolia fl. pl.	2yrs.tr.C.		20/—	
Thunbergi	2yrs.tr.C.	10—20	25/—	
van Houttei	1yr.r.C.		7/—	60/—
	2yrs.tr.C.	10—20	9/—	80/—
	3yrs.tr.C.	20—32	13/—	120/—
Stephanandra flexuosa	3yrs.tr.C.		18/—	160/—
Symphoricarpus orbiculatus	1yr.r.C.	8—16	10/—	90/ -
racemosus	1yr.r.C.	8—16	7/—	60/—
	2yrs.tr.C.	12—24	10/—	90/—
	1yr.S.	6—12	2/6	15/—
	1yr S.	12—20	3/—	25/—
	2yrs.tr.S.	12—20	7/—	60/—
Syringa Rothomagensis (chinensis)	1yr.G.	8—20	45/—	400/—
vulgaris, see page 14				
vulgaris in sorts	1yr.G.		50/—	450/—
Tamarix in sorts: gallica indica, germanica, hispida aestivalis, juniperina (plumosa), odessana, tetrandra (africana), tetr. parviflora, tetr. purpurea	1yr.r.C.		8/—	70/—
Tilia grandifolia & parvifolia, see „Forest Trees" page 53				
Ulmus campestris and montana see „Forest Trees" page 53				
mont. fastigiata	1yr.G.	32—48	40/—	
mont. fast. Dampieri Wredei	1yr.G.	12—20	80/—	
Viburnum Lantana	1yr.S.		3/—	25/—
	2yrs.S.		5/—	40/—
	2yrs.tr.S.		9/—	80/—
	3yrs.tr.S.	10—20	13/—	120/—
opulus	1yr.S.	2—4	5/—	40/—
	2yrs.tr S.	6—12	9/—	80/—
opulus sterile	2yrs.L.	20—28	20/—	180/—
Weigelia see Diervilla.				

Young Conifers for further Culture

Large quantities! A speciality!

S = Seedling, tr. = transplanted, C. = Cutting, G. = Grafting
s. t. tr. = several times transplanted

Orders less than 50 of one variety will be charged 25% more
No supply less than 10 of one variety.

	Age	Height in ins	per 100 sh	per 1000 sh
Abies				
amabilis	2yrs. S.		8/6	75/—
	4yrs. tr. S.		35/—	300/—
	5yrs. tr. S.		50/—	
arizonica	1yr S.		5/—	40/—
	2yrs. S.		9/-	75/—
	3yrs. tr. S.		15/—	120/—
	4yrs. tr. S.		25/—	200/--
balsamea	3yrs. tr. S.		10/-	90/—
	5yrs. twice tr.		35/—	300/—
brachyphylla	2yrs. S.		12/—	100/—
	3yrs. tr. S.		23/—	200/—
concolor	1yr. S.		2/—	15/—
	2yrs. S.		3/6	25/—
	3yrs. tr. S.		10/—	80/—
	4yrs. tr. S.		15/—	120/—
	5yrs. twice tr.		30/—	250/ -
concolor violacea	2yrs. S.		5/—	40/--
	2yrs. tr. S.		10/—	80/—
	3yrs. tr. S.		18/—	150/—
firma	2yrs. S.		7/—	60/—
grandis	1yr. S.		4/—	30/—
	4yrs. tr. S.		25/—	200/—
Nordmanniana	2yrs. S.		3/—	20/—
	3yrs. tr. S.		5/—	40/—
	4yrs. tr. S.		9/—	75/—
	5yrs. twice tr.	8—12	17/—	150/
pectinata	2yrs. S.		1/—	4/—
	3yrs. S.	3—8	1/6	10/—
	3yrs. tr.	4—8	2/6	20/—
	4yrs. tr.	6 -12	3/—	24/—
	5yrs. tr.	8—16	5/—	45/—
sachalinensis	3yrs. tr. S.		18/—	
sibirica	3yrs. tr. S.		18/—	
umbilicata	3yrs. tr. S.		30/-	
Veitchi	2yrs. S.		9/—	75/—
	3yrs. tr. S.		18/—	160/—
	4yrs. tr. S.		30/—	250/—
Araucaria imbricata	1yr. S.		120/—	
Cedrus	1yr. S.		10/—	90/—
atlantica	2yrs. S·		17/—	150/—
Deodora	1yr. S.		10/—	90/—
	3yrs. tr. S.		28/—	250/—
Libani	1yr. S.		10/—	90/—
Chamaecyparis				
Lawsoniana per 10000 135/—	2yrs. S.		2/—	15/—
" " 360/—	3yrs. tr. S.	6—14	5/—	40/—
" " 450/—	4yrs. tr. S.	10—20	6/—	50/—
" " 540/—	4yrs. tr. S.	12—24	7/—	60/—

YOUNG CONIFERS FOR FURTHER CULTURE

	Age	Height in ins	per 100 sh	per 1000 sh
Chamaecyparis				
Laws. Alumi	2yrs. tr. C.	6—10	20/—	180/—
	3yrs. tr. C.	8—14	35/—	300/—
	4yrs. tr C.	12—20	45/—	400/—
Laws. coerulea	1yr. G.		33/—	300/—
Laws. Drummondi	2yrs. G.		45/—	400/—
Laws. Fraseri	2yrs. G.		45/—	400/—
Laws. Triumph de Boskoop	1yr. G.		33/—	300/—
pisifera	2yrs. tr. C.	6—10	18/—	160/—
	3yrs. tr. C.	8—16	25/—	240/—
pisifera aurea	2yrs. tr. C.	4—8	22/—	200/—
	3yrs. tr. C.	6—10	30/—	
pisifera filifera	2yrs. tr. C.	4—8	22/—	200/—
	3yrs. tr. C.	6—12	30/—	
pisifera plumosa	2yrs. tr. C.	6—10	14/—	120/—
	3yrs. tr. C.	8—12	22/—	200/—
pisifera plumosa aurea	2yrs. tr. C.	4—8	18/—	160/—
	3yrs tr. C.	8—12	26/—	240/—
pisifera squarrosa	2yrs. tr. C.	6—10	22/—	200/—
Cryptomeria japonica	2yrs. S.	10—16	7/—	60/—
	3yrs. tr. S.		14/—	120/—
Gingko biloba	1yr. S.		6/—	50/—
	2yrs. tr. S.		12/—	100/—
Ilex aquifolium, see page 57				
Juniperus				
chinensis Pfitzeriana	2yrs. tr. C.	4—8	45/—	400/—
communis	1yr. S.		3/—	20/—
	2yrs. S.		5/—	35/—
	2yrs. tr. S.		8/—	60/—
	3yrs. tr. S.	8—16	12/—	100/—
	4yrs. twice tr.	8—16	14/—	120/—
communis hibernica and suecica	2yrs. tr. C.	4—8	20/—	180/—
	3yrs. tr. C.	6—12	35/—	300/—
Sabina	2yrs. tr. C.	3—6	25/—	220/—
Sabina tamariscifolia	2yrs. tr. C.	6—8	30/—	
virginiana	1yr. S.		4/—	30/—
	2yrs. S		6/—	50/—
	2yrs tr. S.		9/—	80/—
	4yrs. twice tr.		15/—	130/—
virginiana tripartita	2yrs. tr. C.	4—8	35/—	
Larix				
europaea	1yr. S.	3—6	1/—	6/—
	1yr. S.	4—8	1/6	8/—
	2yrs. S.	8—16	2/6	20/—
	2yrs tr.	8—16	3/6	30/—
	3yrs. tr.	16—26	8/—	70/—
	3yrs. tr.	26—40	10/—	90/—
leptolepis	1yr. S.	4—10	4/—	30/—
	2yrs. tr.	8—16	6/—	50/—
	3yrs tr.	16—26	10/—	90/—
	3yrs. tr.	26—40	12/—	110/—
sibirica	2yrs. S.		2/—	15/—
	2yrs. tr. S.		2/—	18/—
	3yrs. tr. S.		3/6	30/—
Picea				
ajanensis	3yrs. tr. S		8/—	70/—

YOUNG CONIFERS FOR FURTHER CULTURE

	Age	Height in ins	per 100 sh	per 1000 sh
Picea				
alba	2yrs. S.	3—10	9 d	5/—
	2yrs. S.	4—12	1/—	8/—
	3yrs. tr.	6—14	2/—	17/—
	4yrs. tr.	8 - 16	3/—	28/—
	4yrs. tr.	10—20	1/6	15/—
	4yrs. tr.	12—24	6/—	50/—
Engelmanni	3yrs. tr. S.		7/—	60/—
excelsa	2yrs. S.	3—10	9 d	4/—
	2yrs. S.	4—12	1/—	6/—
	3yrs. tr.	6—16	1/6	12/—
	3yrs. tr.	8—16	2/6	22/—
	4yrs. tr.	8—16	3/6	28/—
	4yrs. tr.	10—20	4/—	33/—
	4yrs. tr.	12—24	5/—	38/—
cxcelsa Clanbrasiliana	3yrs. tr. C.		35/—	
excelsa compacta pyr.	3yrs. tr. C.		35/—	
excelsa compacta nana	3yrs. tr. C.		40/—	
Omorica	1yr. S.		4/—	30/—
	2yrs. S.		9/—	80/—
	2yrs. tr. S.		15/—	140/—
	3yrs. tr. S.		25/—	220/—
	4yrs. tr. S.	8 - 16	40/—	350/—
	5yrs. twice tr.	12—16	85/—	750/—
	5yrs. twice tr.	16—20	100/—	900/—
orientalis	3yrs. tr. S.		30/—	280/—
	4yrs. tr. S.		40/—	350/—
	5yrs. twice tr.		50/—	450/—
pungens	2yrs. S.		1/6	10/—
	4yrs. tr.	5—10	4/6	40/—
	4yrs. tr.	6—12	5/—	45/—
	4yrs. tr.	8—16	6/6	60/—
	5yrs. tr.		9/—	80/—
pungens glauca	2yrs. S.		2/6	20/—
	3yrs. tr. S.	4 - 8	8/—	70/—
	4yrs. tr. S.	6—12	11/—	100/—
	5yrs. twice tr.	8—12	20/—	180/—
pungens glauca Kosteri	1yr. G.		120/—	
Sitkaensis	2yrs. S.	4—12	1/6	12/—
	3yrs. tr.	6—12	4/—	32/—
	4yrs. tr.	10—20	4/6	40/—
	4yrs. tr.	12—24	5/—	45/—
Pinus				
Banksiana	2yrs. S.		1/3	8/—
	3yrs. tr.		2/6	20/—
Cembra	2yrs. S.		8/—	70/—
	3yrs. tr. S.		15/—	140/—
edulis	1yr. S.		3/—	25/—
	2yrs. tr. S.		6/—	50/—
	3yrs. tr. S.		8/6	75/—
excelsa	1yr. S.		2/—	15/—
	2yrs. S.		3/—	25/—
	3yrs. tr. S.		6/—	50/—
	4yrs. tr. S.		10/—	90/—
	5yrs. twice tr.	8—12	40/—	
Jeffreyi	2yrs. S.		8/—	70/—
koraiensis	2yrs. tr. S.		12/—	100/—

YOUNG CONIFERS FOR FURTHER CULTURE

	Age	Height in ins	per 100 sh	per 1000 sh
Pinus				
Laricio austriaca	1yr. S.		9 d	4/—
	2yrs. S.		1/6	9/—
	2yrs. tr.		2/—	16/—
	3yrs. tr.		3/3	28/—
montana	1yr. S.		9 d	4/—
	2yrs. S.		1/	6/—
	3yrs. tr.		2/6	20/—
	4yrs. tr.		7/—	60/—
	5yrs. twice tr.	8 - 12	17/—	150/—
montana mughus	2yrs. tr. S.		6/—	50/—
monticola	4yrs. tr. S.		15/—	
Peuce	1yr. S.		6/—	50/—
	2yrs. S.		7/6	65/—
ponderosa	2yrs. S.		8/—	70/—
	3yrs. tr. S.		11/—	100/—
rigida	3yrs. tr. S.		3/—	25/—
Strobus	2yrs. S.		1/—	6/—
	3yrs. tr.	3—10	2/—	15/—
	4yrs. tr.	8—16	3/6	30/—
	4yrs. tr.	10—20	4/—	36/—
	5yrs. tr.	12—24	5/—	45/—
sylvestris	1yr. S.		6 d	2/6
	2yrs. tr.		1/3	9/—
	3yrs. tr.		3/—	22/—
Pseudotsuga				
Douglasi caesia	1yr. S.		2/6	20/—
	2yrs. S.	3—8	3/—	25/—
	2yrs. tr	5—12	5/—	45/—
	3yrs. tr.	6—12	7/—	65/—
Douglasi glauca	1yr. S.		2/6	20/—
	2yrs. S.	3 8	3/—	25/—
	3yrs tr.	5—12	5/6	50/—
Douglasi viridis	1yr. S.		2/6	22/—
	2yrs. S.	6—12	5/—	40/—
	3yrs. tr.	8—16	10/—	90/—
	4yrs. tr.	12—24	17/—	150/—
	4yrs. tr.	16—28	19/—	170/—
Taxodium distichum	1yr. S.		9/—	80/—
	2yrs. S.	8—16	12/—	100/—
	3yrs. tr. S.	12 –16	18/—	160/—
Taxus				
baccata	1yr. S.		3/—	25/—
	2yrs. S.		6/—	50/
	2yrs. tr. S.	2—3	12/—	100/—
	3yrs. tr. S.	3—6	17/—	150/—
	3yrs. tr. S.	4—8	20/—	180/—
	4yrs. tr. S.	5—10	28/—	250/—
	5yrs. tw. tr. S.	8—12	50/—	450/—
bacc. Dovastoni aurea var.	3yrs. tr. C.		35/—	
bacc. elegantissima	3yrs. tr. C.		35/—	
bacc. erecta Overeinderi	3yrs. tr. C.	4—10	40/—	350/—
bacc. fastigiata (hibernica)	3yrs. tr. C.		40/—	350/—
	4yrs. tr. S.	6—8	30/—	280/—
	5yrs. tr. S.	8—12	45/—	400/—
bacc. Washingtoni	3yrs. tr. C.		35/—	
	4yrs. tr. C.		40/—	

YOUNG CONIFERS FOR FURTHER CULTURE

	Age	Height in ins	per 100 sh	per 1000 sh
Thuja				
gigantea	2yrs. S.		4/—	35/—
	3yrs. tr. S.		9/—	80/—
gigantea aurescens	2yrs. tr. C.	5—10	22/—	200/—
	3yrs. tr. C.	6—12	30/—	30/—
	4yrs. tr. C.	10—20	42/—	400/—
	5yrs. twice tr	8—16		
occidentalis . . . per 10000 80/—	2yrs. S.		1/6	9/—
" " 470/—	4yrs. tr. S.	8—18	6/—	50/—
" " 570/—	4yrs. tr. S.	10—20	7/—	60/—
" " 600/—	4yrs. tr. S.	12—24	8/—	65/—
	twice tr.	12—16	18/—	150/—
	twice tr.	16—24	27/—	250/—
	twice tr.	24—32	35/—	320/—
	twice tr	32 40	45/—	400/—
occ. atrovirens	2yrs. tr. C.	4—6	30/—	
occ. columna	2yrs. tr. C.		25/—	225/—
occ. Ellwangeriana	2yrs. tr. C.	3—8	18/—	160/—
	3yrs. tr. C.	6—12	26/—	240/—
occ. Ellwang. elegantissima	2yrs. tr. C.	3—8	22/—	200/—
	3yrs. tr. C.	6—12	30/—	280/—
occ. fastigiata	2yrs. tr. C.	4—6	35/—	
	3yrs. tr. C.	6—8	45/—	
occ. globosa	2yrs. tr. C.		18/—	160/—
occ. Hoveyi	2yrs. tr. C.		18/—	160/—
	3yrs. tr. C.	6—10	26/—	
occ. pyramidalis	2yrs. tr. C.	4—8	18/—	160/—
	3yrs. tr. C.	6—10	26/—	240/—
	4yrs. tr. C.	10 - 20	32/—	300/—
occ. recurva nana	2yrs. tr. C.		18/—	
	3yrs. tr. C.	3—6	26/—	
occ. Riversi	2yrs. tr. C.	3—6	18/—	
occ. Rosenthali	2yrs. tr. C.		18/—	160/—
	3yrs tr C.		22/—	200/—
occ. spiralis	2yrs. tr. C.		18/—	160/—
	3yrs. tr. C.		22/—	200/—
occ. Vervaeneana	2yrs. tr. C.		18/—	
	3yrs. tr. C.	6—10	26/—	
occ. Wagneri (Versmanni)	2yrs. tr. C.		18/—	160/—
	3yrs. tr. C.		26/—	240/—
occ. Wareana	2yrs. tr. C.	3—6	22/—	200/—
	3yrs. tr. C.		30/—	
Thujopsis dolobrata	2yrs. tr. C.	4—6	18/—	160/—
	3yrs. tr. C.	6—10	26/—	240/—
Tsuga				
canadensis	1yr. S.		4/—	30/—
	2yrs S.		7/—	60/—
	2yrs. tr. S.		12/—	100/—
	3yrs. tr. S.	6—10	23/—	200/—
	4yrs. tr. S.	10—16	40/—	350/—
Mertensiana	1yr. S.		6/—	50/—

Picea excelsa for Pots and Balkony

Extra round, goodfeathered plants of excellent colour

8—12	ins	high	per	100	sh	22/—	per	1000	sh	200/—
12—16	„	„	„	„	„	27/—	„	„	„	250/—
16—24	„	„	„	„	„	32/—	„	„	„	300/—
24—32	„	„	„	„	„	42/—	„	„	„	400/—
32—40	„	„	„	„	„	55/—	„	„	„	500/—

Picea excelsa with small defects for close planting 40% cheaper

5yrs. small, bushy plants for close planting

about 8—12 ins high per 100 sh 10/— per 1000 sh 80/—

Picea pungens for potting

8—12	ins	high	per	10	sh	3/—	per	100	sh	25/—
12—16	„	„	„	„	„	5/—	„	„	„	45/—
16—20	„	„	„	„	„	7/—	„	„	„	60/—

Picea pungens glauca for potting

8—12	ins	high	per	10	sh	4/—	per	100	sh	35/—
12—16	„	„	„	„	„	7/—	„	„	„	60/—
16—24	„	„	„	„	„	9/—	„	„	„	80/—

For planting in balkony recommended:

			per 100 sh	per 1000 sh
Pinus montana	8—12	ins high	20/—	180/—
Pinus strobus	10—14	„ „	15/—	135/—
Juniperus communis	12—16	„ „	20/—	180/—
Buxus sempervirens	8—12	„ „	60/—	500/—
(arborescens)	12—16	„ „	90/—	800/—

X-mas Trees

Height in ins	per 100 sh	per 1000 sh	per 10000 sh
32—50	90/—	850/—	8000/—
50—60	130/—	1100/—	10000/—

These Trees are of very fine shape and colour.

Samples will be gladly sent on application.

INDEX

Page	
50	Climbing Plants
15	Conifers
41	Evergreen Hedging-Plants and Conifers
43	Evergreen Plants
51	Forest Trees
4	Fruit Trees
36	Hedging Plants
23	Ornamental Trees and Shrubs
66	Picea excelsa for Pots and Balkonies
6	Roses
12	Rose and Fruit Tree Stocks
2	Terms and Condition
46	Standard Trees
49	Wheeping Trees
66	X-mas Trees
61	Young Conifers for further Culture
54	Young Ornamental Trees and Shrubs

Vorübergehend = Handbuch

Hemlock = Tsuga

Thuya

Wacholder = Juniperus

Eibe = Taxus baccata

Grab = Upsilon Alnus

Hornbaum = Carpinus

Red Cypress = Thuja Occidentalis

Silver Birch = Betula verrucosa

Sycamore = Platanus

Walnut = Juglans

Beech = Fagus

Larch = Junge Pflanzen

Dwarf Pine = Zwergfichten